

IDAHO DEPARTMENT OF FISH AND GAME

Steven M. Huffaker, Director

Project W-170-R-28

Progress Report



PRONGHORN ANTELOPE

Study I, Job 7

July 1, 2003 to June 30, 2004

Prepared by:

Jon Rachael Southwest Region
Randy Smith..... Magic Valley Region
Carl Anderson, Corey Class..... Southeast Region
Daryl Meints, Justin Naderman Upper Snake Region
Tom Keegan.....Salmon Region

Compiled and edited by: Brad Compton, Wildlife Game Manager

September 2004
Boise, Idaho



Findings in this report are preliminary in nature and not for publication without permission of the Director of the Idaho Department of Fish and Game.

The Idaho Department of Fish and Game adheres to all applicable state and federal laws and regulations related to discrimination on the basis of race, color, national origin, age, gender, or handicap. If you feel you have been discriminated against in any program, activity, or facility of the Idaho Department of Fish and Game, or if you desire further information, please write to: Idaho Department of Fish and Game, PO Box 25, Boise, ID 83707; or the Office of Human Resources, U.S. Fish and Wildlife Service, Department of the Interior, Washington, DC 20240.

This publication will be made available in alternative formats upon request. Please contact the Idaho Department of Fish and Game for assistance.

TABLE OF CONTENTS

STATEWIDE.....	1
SUMMARY	1
INTRODUCTION	1
SOUTHWEST REGION	7
ABSTRACT.....	7
GROUP 1	7
Management Units 32, 39, 40, 41, 42	7
GROUP 4.....	8
Management Unit 38.....	8
MAGIC VALLEY REGION	11
ABSTRACT.....	11
GROUP 2.....	12
Management Units 45, 46, 47, 49, 52, 52A, 53	12
GROUP 3.....	13
Management Unit 44.....	13
GROUP 4.....	13
Management Units 48, 54, 57	13
SOUTHEAST REGION	26
ABSTRACT.....	26
GROUP 2.....	26
Management Unit 68.....	26
LITERATURE CITED	27
UPPER SNAKE REGION.....	30
ABSTRACT.....	30
GROUP 2.....	30
Management Units 50, 51, 58, 59, 59A	30
GROUP 3.....	32
Management Units 60, 60A, 61, 63	32
LITERATURE CITED	33
SALMON REGION.....	42
ABSTRACT.....	42

TABLE OF CONTENTS (Continued)

GROUP 143
 Management Units 28, 36B, 37 (Part)43
GROUP 243
 Management Units 21A (Part), 29, 30, 36A, 37 (Part), 37A43
GROUP 343
 Management Unit 30A.....43
APPENDIX A53

LIST OF TABLES

STATEWIDE

Table 1. Summary of pronghorn antelope estimated harvest history in Idaho, 1935-present.4

SOUTHWEST REGION

Table 1. Summary of pronghorn harvest in the Southwest Region, Group 1, 1984-present.9

MAGIC VALLEY REGION

Table 1. Summary of pronghorn antelope controlled hunt harvest in the Magic Valley Region, Group 2, 1988-present.16
Table 2. Summary of pronghorn antelope archery harvest in the Magic Valley Region, Group 2, 2001-present.19
Table 3. Summary of pronghorn antelope horn length for controlled hunts in the Magic Valley Region, Group 2, 1991-present.20
Table 4. Pronghorn antelope sex and age composition surveys in the Magic Valley Region, August 2003.22
Table 5. Summary of pronghorn antelope controlled hunt harvest in the Magic Valley Region, Group 3, 1987-present.22
Table 6. Summary of hunter-harvested pronghorn antelope horn length in the Magic Valley Region, Group 3, 1991-present.23
Table 7. Summary of pronghorn antelope controlled hunt harvest in the Magic Valley Region, Group 4, 1996-present.23

TABLE OF CONTENTS (Continued)

Table 8. Summary of hunter-harvested pronghorn antelope horn length in the Magic Valley Region, Group 4, 1996-present.24

Table 9. Summary of pronghorn antelope controlled hunt harvest in the Magic Valley Region, 1976-present.25

SOUTHEAST REGION

Table 1. Summary of pronghorn antelope harvest in the Southeast Region, Group 2, 1981-present.28

Table 2. Summary of hunter-harvested pronghorn antelope horn length in the Southeast Region, Group 2, 1991-present.29

UPPER SNAKE REGION

Table 1. Summary of pronghorn antelope harvest in the Upper Snake Region, Group 2, 1994-present.34

Table 2. Summary of hunter-harvested pronghorn antelope horn lengths in the Upper Snake Region, Group 2, 1994-present.35

Table 3. Summary of pronghorn antelope surveys in the Upper Snake Region, 1973-present.36

Table 4. Summary of pronghorn antelope harvest in the Upper Snake Region, Group 3, 1994-present.38

Table 5. Summary of hunter-harvested pronghorn antelope horn lengths in the Upper Snake Region, Group 3, 1994-present.39

Table 6. Summary of antelope harvest in the Upper Snake Region, 1977-present.40

Table 7. Estimates of pronghorn on the INEEL in the Upper Snake Region, 1994-present.41

SALMON REGION

Table 1. Summary of pronghorn antelope harvest in the Salmon Region, 1969-present.44

Table 2. Summary of pronghorn antelope harvest in the Salmon Region, Group 1, 1993-present.45

Table 3. Summary of hunter-harvested pronghorn antelope horn length in the Salmon Region, Group 1, 1993-present.46

Table 4. Summary of pronghorn antelope harvest in the Salmon Region, Group 2, 1993-present.47

TABLE OF CONTENTS (Continued)

Table 5. Summary of hunter-harvested pronghorn antelope horn length in the Salmon Region, Group 2, 1993-present.....49

Table 6. Summary of pronghorn antelope harvest in the Salmon Region, Group 3, 1993-present.....51

Table 7. Summary of hunter-harvested pronghorn antelope horn length in the Salmon Region, Group 3, 1993-present.....52

LIST OF FIGURES

STATEWIDE

Figure 1. Pronghorn antelope management groups in Idaho.....3

**PROGRESS REPORT
SURVEYS AND INVENTORIES**

STATE:	<u>Idaho</u>	JOB TITLE:	<u>Pronghorn Antelope Surveys</u>
PROJECT:	<u>W-170-R-28</u>		<u>and Inventories</u>
SUBPROJECT:	<u>3-7</u>	STUDY NAME:	<u>Big Game Population Status,</u>
STUDY:	<u>I</u>		<u>Trends, Use, and Associated</u>
JOB:	<u>7</u>		<u>Habitat Studies</u>
PERIOD COVERED: <u>July 1, 2003 to June 30, 2004</u>			

STATEWIDE

Summary

A total of 12,922 hunters (12,411 resident hunters and 511 nonresident hunters) applied for 1,520 controlled pronghorn antelope permits offered in 2003. There were 170 fewer permits offered in 2003 than in 2002. Thirty different controlled hunts were offered in the Southwest, Magic Valley, Southeast, Upper Snake, and Salmon regions and generally ran from September 25 to October 24. In addition, 1,036 hunters participated in general archery pronghorn antelope seasons offered from August 15 through September 15 in 29 units. Forty permits were offered in 2003 for youth hunters (12-17 years of age) to take pronghorn antelope.

An estimated 1,379 of the 1,520 (91%) controlled hunt permittees actually hunted pronghorn antelope. Hunters harvested 989 pronghorn antelope (790 males, 194 females, five unknown) in 4,338 days of hunting. General season archery tags for pronghorn antelope were purchased by 1,173 hunters. An estimated 1,036 (88%) of the tag purchasers hunted and spent 4,915 days afield and harvested 259 pronghorn antelope (214 males, 43 females, two unknown).

Introduction

Most pronghorn antelope populations in Idaho have densities that vary from low to moderate. In general, Idaho's pronghorn antelope habitats do not support the levels which are characteristic of high-quality habitats in Wyoming and Montana. Low annual precipitation, poor range conditions, and conflicts with private landowners are probably important reasons for the differences. The Camas, Birch Creek, Medicine Lodge, Little Wood, Big Lost, and Little Lost valleys support herds at relatively high densities.

Hunter success in most years exceeds 70% in many controlled hunts. The proportion of bucks harvested in Idaho by permittees in either-sex pronghorn antelope controlled hunts averaged 80% in 2003. A history of pronghorn antelope harvest is presented in Table 1. The 2003 pronghorn antelope season structure is presented in Appendix A.

When Idaho implemented the 1991-1995 Antelope Species Management Plan, the pronghorn antelope management units were divided into five groups of units with similar attributes and

hunting opportunities (Figure 1). Knowledge of the opportunities present in these units will allow hunters to select the type of area and hunting experience they prefer. The Department's objective is to provide a variety of opportunities allowing hunters to match the setting and experience they desire. Variables used to classify units were hunting pressure, pronghorn antelope density and herd composition, road density and condition, natural condition of the environment, and distance from major human population centers.

In units of Group 1, hunting pressure is light or dispersed and generally occurs in areas of high aesthetic appeal away from major human population centers. Roads often traverse rough terrain, are of poor quality, and are limited in number. Pronghorn antelope numbers may be high or low, but the opportunity to harvest a mature buck is high. Management objectives for Group 1 hunts include: 1) maintain an average horn length of 12.0 inches in the firearm buck harvest, and 2) maintain a preseason buck:doe ratio of greater than 50:100.

Group 2 units can provide a full range of opportunities to hunters. Pronghorn antelope numbers are high, supporting high hunter densities, high harvest, and high success rates in many units. Doe/fawn pronghorn antelope hunts are often offered in these units for population control. Within many of these units, opportunities exist to participate in Group 1 or Group 3 type hunts if desired. Management objectives for Group 2 hunts include: 1) maintain an average horn length of 12.0 inches in the firearm buck harvest, and 2) maintain a preseason buck:doe ratio of greater than 40:100.

In general, Group 3 units are characterized by variable hunter and pronghorn antelope densities, high road densities, and motorized vehicle use. Availability of pronghorn antelope bucks is limited. Private ownership of, and restricted access to, pronghorn antelope habitat is high in most units and has resulted in depredation problems that often dictate hunting season structure and harvest levels. Management objectives for Group 3 hunts include: 1) maintain a preseason buck:doe ratio of greater than 40:100.

With the exception of Unit 54, no hunts are offered in Group 4 and Group 5 units. Although pronghorn antelope are present in units of Group 4, low population numbers and/or low production levels limit harvest opportunity at this time. Portions of Group 5 units were historically pronghorn antelope habitat, but currently support few or no pronghorn antelope.

Because of what appeared to be a steady decline in fawn:doe ratios through time, the Department initiated a graduate student research project to identify factors affecting productivity. Additionally, this research effort will try to develop a standardized technique for monitoring low-density, widely-distributed populations in Idaho. Field work for this project has been completed and results will be available next year.

ANTELOPE




Figure 1. Pronghorn antelope management groups in Idaho.

Table 1. Summary of pronghorn antelope estimated harvest history in Idaho, 1935-present.

Season	Year	Hunters	Harvest	% Success	Days hunted	
Archery	1982	760	130	17	4,900	
	1983	400	100	33	2,600	
	1984	230	20	8	1,200	
	1985	300	40	14	1,600	
	1986	100	40	40	400	
	1987	600	200	33	3,300	
	1988	800	200	27	4,800	
	1989	340	60	18	2,400	
	1990	200	80	36	1,300	
	1991	170	80	28	900	
	1992	600	150	25	2,900	
	1993	550	80	15	3,000	
	1994	860	235	27	4,800	
	1995	790	135	17	4,100	
	1996	920	155	17	5,200	
	1997 ^a	-	-	-	-	-
	1998 ^a	-	-	-	-	-
	1999 ^a	-	-	-	-	-
		2000	772	189	24	3,800
		2001	822	245	30	3,450
		2002	1,126	263	23	5,448
		2003	1,036	259	25	4,915
	Controlled	1982	2,400	2,000	85	4,500
		1983	2,900	2,300	76	6,400
		1984	2,740	2,050	70	5,600
		1985	2,900	2,150	73	5,900
1986		3,000	2,500	83	6,200	
1987		2,900	2,400	77	6,300	
1988		3,100	2,600	80	6,800	
1989		2,900	2,240	72	6,900	
1990		2,500	2,000	72	6,600	
1991		3,600	2,870	75	9,600	
1992		3,980	3,000	72	11,100	
1993		3,740	2,390	60	11,500	
1994		3,110	1,600	72	10,900	
1995		2,170	1,360	63	6,500	
1996		1,920	1,260	66	6,000	
1997		2,128	1,305	61	7,200	
1998		1,917	1,153	55	6,600	
1999		1,631	1,149	63	5,285	
2000		1,571	1,086	69	4,825	
2001		1,584	1,118	71	4,615	
2002	1,500	1,076	72	4,554		

Table 1. Continued.

Season	Year	Hunters	Harvest	% Success	Days hunted
	2003	1,379	989	72	4,338
Extra doe/fawn	1989	1,400	1,200	81	3,200
	1990	1,300	1,100	80	3,400
Total	1935	-	144	-	-
	1936	-	124	-	-
	1937	-	-	-	-
	1938	-	-	-	-
	1939	-	-	-	-
	1940	-	400	-	-
	1941	-	-	-	-
	1942	-	700	-	-
	1943	-	-	-	-
	1944	-	1,470	-	-
	1945	-	650	-	-
	1946	-	-	-	-
	1947	-	461	-	-
	1948	-	419	-	-
	1949	-	383	-	-
	1950	-	539	-	-
	1951	-	1,349	-	-
	1952	-	1,520	-	-
	1953	-	1,254	-	-
	1954	-	970	-	-
	1955	-	822	-	-
	1956	-	919	-	-
	1957	-	1,001	-	-
	1958	-	821	-	-
	1959	-	679	-	-
	1960	-	701	-	-
	1961	-	579	-	-
	1962	-	549	-	-
	1963	-	774	-	-
	1964	-	839	-	-
	1965	-	977	-	-
	1966	-	1,219	-	-
	1967	-	1,286	-	-
	1968	-	1,294	-	-
	1969	-	1,472	-	-
	1970	-	1,551	-	-
	1971	-	1,465	-	-
	1972	-	1,486	-	-
	1973	-	1,237	-	-
	1974	-	1,301	-	-
	1975	-	1,314	-	-

Table 1. Continued.

Season	Year	Hunters	Harvest	% Success	Days hunted
	1976	-	1,380	-	-
	1977	-	1,250	-	-
	1978	-	1,345	-	-
	1979	-	1,430	-	-
	1980	-	1,498	-	-
	1981	-	1,837	-	-
	1982	3,160	2,130	67	9,400
	1983	3,300	2,400	73	9,000
	1984	2,970	2,070	70	6,800
	1985	3,200	2,190	68	7,500
	1986	3,100	2,540	82	6,600
	1987	3,500	2,600	74	9,600
	1988	3,900	2,800	72	11,600
	1989	4,640	3,540	75	12,500
	1990	4,000	3,180	79	11,300
	1991	3,770	2,950	78	10,500
	1992	4,600	3,150	68	13,000
	1993	4,290	2,470	58	14,500
	1994	3,110	1,835	59	10,900
	1995	2,960	1,495	51	10,600
	1996	2,780	1,410	51	11,200
	1997 ^a	2,128	1,305	61	7,200
	1998 ^a	1,917	1,153	55	6,600
	1999 ^a	1,631	1,149	63	5,285
	2000	2,343	1,275	54	8,625
	2001	2,406	1,363	57	8,065
	2002	2,626	1,339	51	10,002
	2003	2,415	1,248	52	9,253

^a Due to budget limitations, no survey was conducted to estimate the number of pronghorn antelope harvested by archery hunters during the general season.

**PROGRESS REPORT
SURVEYS AND INVENTORIES**

STATE:	<u>Idaho</u>	JOB TITLE:	<u>Pronghorn Antelope Surveys and Inventories</u>
PROJECT:	<u>W-170-R-28</u>	STUDY NAME:	<u>Big Game Population Status, Trends, Use, and Associated Habitat Studies</u>
SUBPROJECT:	<u>3</u>		
STUDY:	<u>1</u>		
JOB:	<u>7</u>		
PERIOD COVERED:	<u>July 1, 2003 to June 30, 2004</u>		

SOUTHWEST REGION

Abstract

Group 1 - A total of 452 permits were issued and 254 pronghorn were harvested in controlled hunts in 2003, including 13 pronghorn harvested by 22 landowner appreciation permit holders. Hunter success averaged 56%. Average horn length met or exceeded the minimum management objective of 12 inches in Units 39 (avg.=12.5 in, N=21), 41 (avg.=13.4 in, N=11), and 42 (avg.=13.6 in, N=94). Average horn length in Units 32 (avg.=11.6 in, N=10) and 40 (avg.=11.8 in, N=64) was slightly below the minimum objective.

An estimated 423 hunters hunted 1,550 days and harvested an estimated 130 antelope (31% success rate) during the August 15 - September 15 general archery season in Units 40, 41, and 42.

Group 4 - No hunts or surveys took place in this area during the reporting period.

Group 1

Management Units 32, 39, 40, 41, 42

Population Surveys - Southwest Region wildlife staff experimented with a fixed-wing line transect survey to estimate pronghorn numbers in Units 41 and 42 in spring 2003. Observers spotted 1,543 pronghorn during five survey flights. Analysis of results is in progress. Incidental observations of pronghorn during bighorn sheep surveys and other activities suggest a static population.

Harvest - Based upon the harvest survey, controlled hunt harvest decreased from 279 pronghorn in 2002 to 254 in 2003 (Table 1). The muzzleloader hunt in Unit 41 had a success rate of 47% with a harvest of 14 pronghorn antelope. The success rate in the any-weapon controlled hunts was 63% with a harvest of 240 pronghorn antelope. Average horn length met or exceeded the minimum management objective of 12 inches in Units 39 (avg.=12.5 in, N=21), 41 (avg.=13.4 in, N=11), and 42 (avg.=13.6 in, N=94). Average horn length in Units 32 (avg.=11.6 in, N=10) and 40 (avg.=11.8 in, N=64) was slightly below the minimum objective.

An estimated 423 hunters hunted 1,550 days and harvested an estimated 130 antelope (31% success rate) during the August 15 - September 15 general archery season in Units 40, 41, and 42.

Group 4

Management Unit 38

No hunts or surveys took place in this area during the reporting period.

Table 1. Summary of pronghorn harvest in the Southwest Region, Group 1, 1984-present.

Hunt area	Year	Permits	Harvest			% Male	% Success
			Male	Female	Total		
32	2000	10	6	2	8	75	80
	2001	10	7	0	7	100	70
	2002	15	12	0	12	100	80
	2003 ^a	15	11	4	15	73	100
39	1996	10	8	1	9	89	90
	1997	10	9	0	9	100	90
	1998	10	10	0	10	100	100
	1999	10	8	1	9	89	90
	2000	20	16	1	17	94	85
	2001	20	17	0	17	100	85
	2002	50	41	2	43	95	86
	2003 ^a	28	22	2	24	92	86
40	1984	50	28	8	36	78	72
	1985	50	27	3	30	90	60
	1986	50	32	8	40	80	80
	1987	50	38	5	43	88	86
	1988	50	35	6	41	85	82
	1989	50	37	4	41	90	82
	1990	100	70	16	86	81	86
	1991	100	77	9	86	90	86
	1992	125	76	13	89	85	71
	1993	125	74	6	80	93	64
	1994	150	82	15	97	85	65
	1995	150	61	20	81	75	54
	1996	150	63	12	75	84	50
	1997	150	48	22	70	69	47
	1998	150	77	13	90	86	60
	1999	150	87	10	97	90	65
	2000	150	67	15	82	82	55
	2001	150	74	13	87	85	58
	2002	150	69	23	92	75	61
	2003 ^a	154	73	12	85	86	55
41	1984	10	4	1	5	80	50
	1985	10	5	0	5	100	50
	1986	15	6	0	6	100	40
	1987	15	5	0	5	100	33
	1988	15	10	3	13	77	87
	1989	15	4	1	5	80	33
	1990	25	12	0	12	100	48
	1991	25	10	2	12	83	48
	1992	25	9	1	10	90	40
	1993	25	5	1	6	83	24

Table 1. Continued.

Hunt area	Year	Permits	Harvest			% Male	% Success
			Male	Female	Total		
42	1994	25	6	0	6	100	24
	1995	25	4	3	7	57	28
	1996	25	7	0	7	100	28
	1997	25	5	0	5	100	20
	1998	25	7	0	7	100	28
	1999	25	11	1	12	92	48
	2000	40	12	0	12	100	30
	2001	40	15	3	18	83	45
	2002	40	12	1	13	92	33
	2003 ^a	41	12	2	14	86	34
	1984	55	22	2	24	92	44
	1985	55	18	1	19	95	35
	1986	75	35	7	42	83	56
	1987	75	32	4	36	89	48
	1988	75	47	2	49	96	65
	1989	75	49	2	51	96	68
	1990	100	48	15	63	76	63
	1991	100	82	4	86	95	86
	1992	125	82	15	97	85	78
	1993	125	82	6	88	93	70
	1994	200	107	23	130	82	65
	1995	200	131	0	131	100	66
	1996	200	121	16	137	88	69
	1997	200	110	15	125	88	63
	1998	200	93	5	98	95	49
	1999	200	100	23	123	81	62
	2000	200	95	16	111	86	56
	2001	200	106	22	128	83	64
	2002	200	103	16	119	87	60
	2003 ^a	203	104	12	116	90	57

^a 2003 data includes Landowner Appreciation Hunt permits and harvest.

**PROGRESS REPORT
SURVEYS AND INVENTORIES**

STATE:	<u>Idaho</u>	JOB TITLE:	<u>Pronghorn Antelope Surveys and Inventories</u>
PROJECT:	<u>W-170-R-28</u>	STUDY NAME:	<u>Big Game Population Status, Trends, Use, and Associated Habitat Studies</u>
SUBPROJECT:	<u>4</u>		
STUDY:	<u>I</u>		
JOB:	<u>7</u>		
PERIOD COVERED:	<u>July 1, 2003 to June 30, 2004</u>		

MAGIC VALLEY REGION

Abstract

Group 2 - Pronghorn populations in Units 49 and 52 have increased over the past 4-5 years after seven years of low and relatively stable populations. Pronghorn numbers in Units 46/47 appear to have declined slightly and numbers in Units 53 and 52A remain low. Harvest has been substantially curtailed since 1994 to encourage population growth. Permit levels in 2003 were only 45% of 1993 levels. Observed reproductive performance in August 2003 was above the long-term average in Unit 46 (0.82 fawns:doe) and similar to the long-term average in Unit 49 (0.80 fawns:doe). Mean horn lengths of harvested bucks have been consistently below the 12-inch minimum objective only in Unit 49. Observed buck ratios from 1991-2003 have averaged 0.37 and 0.32 bucks:doe in Units 46 and 49, respectively.

Group 3 - Pronghorn antelope numbers in Unit 44 have increased substantially in recent years. Fawn production measured during August surveys averaged 0.92 fawns:doe from 1996-2003, the highest in the Region. The population is currently estimated at approximately 300 head and declined during the reporting period because of liberal doe-fawn harvest. A ratio of 0.51 bucks:doe (N=165) was observed in September 2003.

Group 4 - Units 54 and 57 have relatively small numbers of pronghorn antelope and have been managed for quality opportunity. From 1996-2003, 84 hunters in Unit 54 have harvested 76 pronghorn with a mean maximum horn length of 14.0 inches. The hunt in Unit 57 was discontinued in 2002 because of low antelope numbers.

Group 2

Management Units 45, 46, 47, 49, 52, 52A, 53

Management - Pronghorn populations in Group 2 units have fluctuated widely during the past 25 years. After declining to low levels in the early 1980s, pronghorn populations increased to relatively high levels in the late 1980s and early 1990s before declining again in 1993. Successive years of drought followed by severe conditions during the 1992-1993 winter resulted in population declines estimated at 30-50%.

Hunts and permit levels were adjusted to encourage population recovery. Following the 1993 decline, pronghorn hunts were eliminated in Units 45, 52, and 52A, and doe-fawn hunts were eliminated in all units except Unit 46. Since 1994, pronghorn populations have increased moderately in Units 45, 49, 52, and 52A, and hunts have been restored in all units. Pronghorn numbers in Units 46 and 47 have declined since 1994, and numbers have remained low in Unit 53.

Harvest - Overall, the number of permits offered in Group 2 units in 2003 (255 permits) was only 46% of 1993 levels. For all hunts combined, 228 hunters harvested 174 antelope; 146 bucks and 28 does or fawns. Hunter success in any-antelope hunts in 2003 ranged from 43% in the Unit 47 muzzleloader season to 100% in Unit 45 and averaged 79% for all hunts combined (Table 1). The popular youth-only hunt in Unit 52 was continued for the fifth year. Nineteen of 22 youth hunters that participated harvested an antelope. The hunt in Unit 53 was closed in 2001 because of low pronghorn numbers and poor hunter success. In 2002 and 2003, Unit 53 was included in Hunt Area 52A.

The number of bowhunters pursuing antelope in Group 2 units increased from 285 hunters in 2002 to 337 hunters in 2003. Bowhunters harvested an estimated 76 antelope (75% bucks) in 2003 for an overall success rate of 23%. Sixty-six percent of the archery harvest was from Unit 46, where bowhunters take more pronghorn bucks than rifle hunters (Table 2).

One of the goals in the 1991-1995 Pronghorn Antelope Plan is to maintain a minimum mean horn length of 12 inches for firearm hunts. Reported horn lengths in 2003 were meeting the 12-inch objective in all Group 2 units except Unit 49. Only in Unit 49 has mean horn length consistently been below objective (Table 3).

Population Surveys - Sex and age composition data are collected annually on ground surveys during August in Units 46, 47, and 49. In 2003, in addition to ground surveys, helicopter surveys were conducted in Unit 49 and fixed-wing surveys were conducted in Units 46/47. The ground and aerial surveys produced similar results for observed fawn:doe ratios (Table 4). In Units 46/47, the observed ratio of 0.50 fawns:doe is the same as the 1982-2003 mean. In Unit 49, the observed ratio of 0.73 fawns:doe was slightly lower than the 1976-2003 mean of 0.80 fawns:doe.

An objective in the 1991-1995 Pronghorn Antelope Plan is to maintain an August ratio of 0.40 bucks:doe. From 1991-2003, observed August buck to doe ratios have averaged

0.38 bucks:doe in Unit 46 and 0.34 bucks:doe in Unit 49. Aerial and ground surveys produced similar results in Units 46/47 but different results in Unit 49 (Table 4).

Five depredation complaints were received during the 2003-2004 reporting period; four complaints in Unit 45 during winter, one complaint in Unit 46 during winter, and one complaint in Unit 46 during summer.

Group 3

Management Unit 44

Management - Unit 44 is the only Group 3 unit in the Magic Valley Region. During the late 1970s to mid-1980s, depredation complaints on the Camas Prairie (Unit 44 and parts of Units 45 and 52) were common, and the management objective was to maintain the pronghorn antelope population below 100 head. Currently, the summering antelope population exceeds 500 animals on the Camas Prairie. However, depredation complaints have been minimal during the past 15 years indicating an increased landowner tolerance for antelope. No depredation complaints were received during the 2003-2004 reporting period.

Harvest - In 2003, 40 permits were maintained in the any-antelope hunt and 100 permits were maintained in the doe-fawn hunt. From 1994-2003, hunter success in the two hunts combined has averaged 82% (Table 5). The mean maximum horn length reported by hunters in 2003 was 12.4 inches. Mean horn length has met the 12-inch plan objective in five of the past ten years (Table 6).

Population Surveys - Camas Prairie pronghorns suffered high losses during the 1992-1993 winter. Doe-fawn hunting was curtailed from 1994-1998 to encourage population growth. In recent years, high fawn production and good winter survival have allowed the pronghorn population to increase to more than 500 head. Data suggest that higher than normal losses during the 2001-2002 winter combined with liberal doe-fawn harvest have reduced the population. During August 2003, ground, fixed-wing, and helicopter surveys were conducted to provide estimates of sex and age ratios. There was little agreement in the ratios between the survey types (Table 4). The helicopter survey, expected to be the best sample, resulted in estimates of 0.76 fawns:doe and 0.97 bucks:doe. On ground surveys conducted from 1999-2003, observed ratios have averaged 0.90 fawns:doe and 0.50 bucks:doe.

Group 4

Management Units 48, 54, 57

Management - In 1989, the Department transplanted 29 pronghorn antelope from the Mud Lake area (Unit 63) to the Shoshone Basin area of Unit 54. In addition, the Nevada Division of Wildlife released pronghorn antelope east of Jackpot, Nevada, near Shoshone Basin in the late 1980s. This interstate population has increased and provides hunting opportunity in Idaho and Nevada.

Harvest - A small controlled hunt has been authorized in Unit 54 since 1996. From 1996-2003, 108 hunters harvested 95 antelope and horn lengths have averaged 14.0 inches (Tables 7 and 8).

Population Surveys - In Unit 54, no formal population surveys were conducted. Casual observations by hunters and agency personnel indicate the population has expanded its distribution north of Shoshone Basin to include the area around Nat-Soo-Pah and the foothill areas adjacent to Rock Creek.

In Unit 57, the resident pronghorn population has remained relatively low. A standardized ground survey is conducted annually in September to help monitor herd numbers. In 2003, 65 antelope were observed (0.12 bucks:doe:0.14 fawns). In 2002, 27 antelope were counted and in 2001, 66 antelope were counted. A hunt with five permits was authorized from 1996-2001 to allow some opportunity to harvest the mature bucks this small population supports. The hunt was discontinued in 2002 because of low antelope numbers (Tables 7 and 8).

Antelope numbers in Unit 48 have increased in recent years allowing this unit to be included in Hunt Area 52.

No depredation complaints were received in Units 54 or 57 during the reporting period.

Magic Valley Region Management - From 1987-1992, pronghorn antelope populations in the Magic Valley Region increased due to a series of mild winters and improved summer-fall habitat in some units. Hunting opportunity was increased substantially during this period and summer depredation problems were common. Both permit levels and harvest increased more than 500% from 1984 to 1992 (Table 9). The combined effects of drought and the harsh conditions of the 1992-1993 winter resulted in a substantial decline in pronghorn antelope numbers Region-wide, although populations south of the Snake River did not experience the magnitude of decline that occurred in units in the northern portion of the Region. Since the 1993 decline, pronghorn numbers have increased in the Camas Prairie area of Units 44, 45, and 52 and in the Little Wood watershed (Unit 49). Antelope numbers have remained low in Units 52A and 53 and have declined slightly in Units 46 and 47. The small pronghorn antelope population in Unit 54 has remained relatively stable in recent years and will continue to be managed to provide quality hunting opportunity.

There is a high demand for pronghorn antelope hunting in the Region as evidenced by the difficult drawing odds for permits. There were 2,884 applicants for the 255 permits offered in the Region for any-antelope rifle hunts in 2003. Drawing odds averaged 1:12.1 for those hunts.

During the past 15 years, fires have removed more than a million acres of sagebrush-dominated habitat in the Magic Valley Region. While these fires may have improved spring, summer, and fall pronghorn antelope habitat in some areas, there have been long-term negative effects on winter range and fawning habitat. These fires will likely hinder recovery of pronghorn antelope populations in Units 46, 47, 49, and 52A to the high levels of the late 1980s and early 1990s.

During the 2004-2005 reporting period, the Region will continue to assist with the antelope research project that includes Units 46 and 47, the Camas Prairie, and Unit 49. The research is designed to help develop standard survey methodologies for estimating sex and age ratios, and to identify factors influencing the wide range of reproductive performance observed in antelope populations.

Table 1. Summary of pronghorn antelope controlled hunt harvest in the Magic Valley Region, Group 2, 1988-present.

Hunt area	Year	Permits	Harvest			% Male	% Success
			Male	Female	Total		
45 ^a	1988	30	22	2	24	92	80
	1989	50	13	13	26	50	52
	1990	50	23	15	38	61	76
	1991	50	18	18	36	50	72
	1992	50	13	9	22	59	44
	1993	50	6	13	19	32	38
	2001	10	7	1	8	88	80
	2002	10	7	0	7	100	70
	2003	9	9	0	9	100	100
46	1988	50	40	4	44	91	88
	1989	75	60	5	65	92	87
	1990	75	33	20	53	62	71
	1991	100	35	43	78	45	78
	1992	160	53	69	122	43	76
	1993	160	48	58	106	45	66
	1994	110	48	38	86	56	78
	1995	110	45	31	76	59	69
	1996	160	34	54	88	39	55
	1997	160	45	47	92	49	58
	1998	160	47	55	102	46	64
	1999	110	53	37	90	59	82
	2000	110	28	35	63	44	57
	2001	82	42	20	62	68	76
	2002	77	30	23	53	57	69
2003	78	43	20	63	68	81	
47	1988	20	3	2	5	60	25
	1989	20	4	1	5	80	25
	1990	40	8	1	9	89	23
	1991	40	12	5	17	71	43
	1992	40	11	1	12	92	30
	1993	40	14	3	17	82	43
	1994	40	9	2	11	82	28
	1995	40	9	4	13	69	33
	1996	40	10	0	10	100	25
	1997	40	9	1	10	90	25
	1998	40	10	1	11	91	28
	1999	40	12	4	16	75	40
	2000	40	11	1	12	92	30
	2001	65	13	0	13	100	20
	2002	32	8	4	12	67	38
2003	37	12	3	15	80	41	

Table 1. Continued.

Hunt area	Year	Permits	Harvest			% Male	% Success	
			Male	Female	Total			
49	1988	110	83	13	96	86	87	
	1989	110	70	13	83	84	75	
	1990	150	84	30	114	74	76	
	1991	150	86	33	119	72	79	
	1992	175	108	18	126	86	72	
	1993	175	72	45	117	62	67	
	1994	100	41	26	67	61	67	
	1995	100	49	17	66	74	66	
	1996	50	30	3	33	91	66	
	1997	50	39	7	46	85	92	
	1998	50	36	6	42	86	84	
	1999	50	27	14	41	66	82	
	2000	50	28	8	36	78	72	
	2001	50	31	15	46	67	92	
	2002	46	30	7	37	81	80	
	2003	45	34	4	38	89	84	
	52 ^b	1988	30	22	4	26	85	87
		1989	30	16	3	19	84	63
		1990	30	20	3	23	87	77
		1991	30	22	3	25	88	83
1992		30	15	8	23	65	77	
1993		30	7	8	15	47	50	
1994		15	12	0	12	100	80	
1995		15	9	1	10	90	67	
1999		10	8	0	8	100	80	
2000		20	13	1	14	93	70	
2001		25	12	2	14	86	56	
2002		24	20	2	22	91	92	
2003		17	13	0	13	100	76	
52A ^c		1988	30	19	6	25	76	83
		1989	60	39	8	47	83	78
	1990	60	40	8	48	83	80	
	1991	60	44	4	48	92	80	
	1992	150	58	63	121	48	81	
	1993	150	17	13	30	57	20	
	1994	25	8	2	10	80	40	
	1995	25	6	1	7	86	28	
	2000	20	14	1	15	93	75	
	2001	23	14	3	17	82	74	
	2002	19	2	2	4	50	21	
	2003	20	14	2	16	88	80	

Table 1. Continued.

Hunt area	Year	Permits	Harvest			% Male	% Success
			Male	Female	Total		
53 ^d	1988	30	27	3	30	90	100
	1989	50	35	5	40	88	80
	1990	50	38	9	47	81	94
	1991	80	27	23	50	54	63
	1992	90	30	32	62	48	69
	1993	90	14	18	32	44	36
	1994	30	11	3	14	79	47
	1995	30	15	1	16	94	53
	1996	30	10	4	14	71	47
	1997	30	8	4	12	67	40
	1998	30	8	4	12	67	40
	1999	30	14	6	20	70	67
	2000	30	5	1	6	83	20

^a Hunt Area 45 was closed from 1994-2000.

^b Hunt Area 52 was closed from 1996-1998.

^c Hunt Area 52A was closed from 1996-1999.

^d Hunt Area 53 was closed in 2001 and added to Hunt Area 52A in 2002.

Table 2. Summary of pronghorn antelope archery harvest in the Magic Valley Region, Group 2, 2001-present.

Hunt area	Year	Permits	Harvest			% Male	% Success
			Male	Female	Total		
45	2001	36	7	1	8	88	23
	2002	45	12	0	12	100	27
	2003	70	9	1	10	90	14
46	2001	95	28	9	37	76	39
	2002	121	35	5	40	88	33
	2003	145	37	13	50	74	34
47	2001	19	2	2	4	50	22
	2002	26	6	0	6	100	23
	2003	29	0	1	1	0	3
49	2001	41	11	3	14	79	34
	2002	67	5	1	6	83	9
	2003	61	7	4	11	64	18
52A	2001	18	5	0	5	100	28
	2002	18	1	1	2	50	11
	2003	21	4	0	4	100	19
53	2002	7	0	0	0	0	0
	2003	11	0	0	0	0	0

Table 3. Summary of pronghorn antelope horn length for controlled hunts in the Magic Valley Region, Group 2, 1991-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
45 ^a	1991	20	4	12.9
	1992	20	8	12.7
	1993	20	6	12.9
	2001	10	7	12.5
	2002	10	7	12.3
	2003	10	9	13.1
46	1991	50	30	12.2
	1992	60	24	12.2
	1993	60	20	12.0
	1994	60	38	12.2
	1995	60	41	11.4
	1996	60	18	11.4
	1997	60	31	13.1
	1998	60	29	13.5
	1999	60	53	12.3
	2000	60	24	13.4
	2001	60	42	11.5
	2002	60	35	12.5
	2003	60	32	12.4
47	1991	40	9	10.9
	1992	40	3	12.2
	1993	40	6	12.6
	1994	40	8	11.4
	1995	40	8	12.6
	1996	40	6	6.5
	1997	40	6	11.5
	1998	40	8	12.3
	1999	40	12	10.9
	2000	40	9	15.2
	2001	65	13	11.4
	2002	40	8	11.5
	2003	40	12	11.0
49	1991	150	43	11.2
	1992	175	47	12.0
	1993	175	29	11.3
	1994	100	35	12.5
	1995	100	43	10.0
	1996	50	21	9.9
	1997	50	30	10.8
	1998	50	27	11.0
	1999	50	27	11.4

Table 3. Continued.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
52 ^b	2000	50	23	13.4
	2001	50	31	10.8
	2002	50	30	11.5
	2003	50	32	9.9
	1991	30	11	12.7
	1992	15	5	10.4
	1993	15	2	13.0
	1994	15	9	12.0
	1995	15	7	12.0
	1999	10	8	12.3
	2000	20	13	11.6
52A ^c	2001	25	12	12.5
	2002	25	22	11.4
	2003	45	31	12.4
	1991	60	20	13.2
	1992	75	26	11.6
	1993	75	8	10.9
	1994	25	6	13.8
	1995	25	5	10.6
	2000	20	11	12.4
	2001	25	14	10.7
	2002	25	2	11.5
53 ^d	2003	45	31	12.5
	1991	50	13	11.7
	1992	30	13	11.5
	1993	30	5	12.5
	1994	30	8	14.0
	1995	30	14	11.1
	1996	30	7	10.6
	1997	30	6	10.6
	1998	30	7	10.7
	1999	30	14	11.4
	2000	30	4	12.5

^b Hunt Area 45 was closed from 1994-2000.

^c Hunt Area 52 was closed from 1996-1998.

^d Hunt Area 52A was closed from 1996-1999.

^e Hunt Area 53 was closed in 2001 and added to Hunt Area 52A in 2002.

Table 4. Pronghorn antelope sex and age composition surveys in the Magic Valley Region, August 2003.

Unit(s)	Survey method	Sample size	Bucks:100 does	Fawns:100 does
44, 45, 52 - Camas Prairie	Fixed-wing	351	39	52
	Helicopter	347	97	76
	Ground	306	27	98
46/47 - Jarbidge	Fixed-wing	205	51	50
	Ground	206	47	50
49 - Little Wood	Helicopter	404	34	73
	Ground	217	45	77

Table 5. Summary of pronghorn antelope controlled hunt harvest in the Magic Valley Region, Group 3, 1987-present.

Hunt area	Year	Permits	Harvest			% Male	% Success
			Male	Female	Total		
44	1987	20	20	0	20	100	100
	1988	20	15	2	17	88	85
	1989	30	11	16	27	41	90
	1990	30	8	15	23	35	77
	1991	30	13	13	26	50	87
	1992	50	18	24	42	43	84
	1993	50	16	17	33	48	66
	1994	20	15	1	16	94	80
	1995	20	14	1	15	93	75
	1996	20	17	1	18	94	90
	1997	20	17	3	20	85	100
	1998	40	34	2	36	94	90
	1999	80	32	32	64	50	80
	2000	120	27	50	77	35	64
	2001	120	35	59	94	37	78
	2002	123	29	76	105	28	85
2003	126	25	75	100	25	79	

Table 6. Summary of hunter-harvested pronghorn antelope horn length in the Magic Valley Region, Group 3, 1991-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
44	1991	10	5	13.2
	1992	20	6	11.0
	1993	20	6	13.1
	1994	20	12	10.3
	1995	20	12	11.5
	1996	20	11	10.1
	1997	20	12	10.5
	1998	40	22	12.2
	1999	40	31	10.7
	2000	40	24	11.9
	2001	40	35	13.2
	2002	40	29	11.9
	2003	40	25	12.4

Table 7. Summary of pronghorn antelope controlled hunt harvest in the Magic Valley Region, Group 4, 1996-present.

Hunt area	Year	Permits	Harvest			% Male	% Success
			Male	Female	Total		
54	1996	10	9	0	9	100	90
	1997	10	10	0	10	100	100
	1998	10	9	0	9	100	90
	1999	10	9	0	9	100	90
	2000	10	9	0	9	100	90
	2001	15	8	2	10	80	67
	2002	22	19	1	20	95	91
	2003	21	18	1	19	95	90
57 ^a	1996	5	4	0	4	100	80
	1997	5	5	0	5	100	100
	1998	5	3	0	3	100	60
	1999	5	4	0	4	100	80
	2000	5	5	0	5	100	100
	2001	5	2	0	2	100	40

^a Hunt Area 57 was closed in 2002 due to low antelope numbers.

Table 8. Summary of hunter-harvested pronghorn antelope horn length in the Magic Valley Region, Group 4, 1996-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
54	1996	10	9	13.9
	1997	10	5	14.7
	1998	10	6	14.7
	1999	10	9	13.6
	2000	10	9	14.8
	2001	15	8	13.1
	2002	25	19	13.2
	2003	25	17	14.3
57 ^a	1996	5	3	16.0
	1997	5	5	12.2
	1998	5	2	14.5
	1999	5	4	14.7
	2000	5	5	11.7
	2001	5	2	13.8

^a Hunt Area 57 was closed in 2002 due to low antelope numbers.

Table 9. Summary of pronghorn antelope controlled hunt harvest in the Magic Valley Region, 1976-present.

Year	Permits	Harvest			% Male	% Success
		Male	Female	Total		
1976	120	55	19	74	74	62
1977	120	69	8	77	90	64
1978	100	65	18	83	78	83
1979	110	73	16	89	82	81
1980	160	87	35	120	73	75
1981	216	111	69	180	62	83
1982	120	84	27	111	76	92
1983	115	92	11	103	89	90
1984	120	81	5	86	94	72
1985	160	91	43	134	68	84
1986	190	118	28	146	81	77
1987	240	166	39	205	81	85
1988	320	231	36	267	87	83
1989	415	251	66	317	79	76
1990	485	254	101	355	72	73
1991	540	257	142	399	64	74
1992	745	306	224	530	58	71
1993	745	194	175	369	53	50
1994	310	144	72	216	67	70
1995	340	147	56	203	72	60
1996	315	114	62	176	65	56
1997	315	133	62	195	68	62
1998	335	147	68	215	68	64
1999	335	158	93	251	63	75
2000	445	140	100	240	58	54
2001	420	164	92	256	64	61
2002	400	122	115	237	51	59
2003	420	185	108	293	63	70

**PROGRESS REPORT
SURVEYS AND INVENTORIES**

STATE:	<u>Idaho</u>	JOB TITLE:	<u>Pronghorn Antelope Surveys</u>
PROJECT:	<u>W-170-R-28</u>		<u>and Inventories</u>
SUBPROJECT:	<u>5</u>	STUDY NAME:	<u>Big Game Population Status,</u>
STUDY:	<u>1</u>		<u>Trends, Use, and Associated</u>
JOB:	<u>7</u>		<u>Habitat Studies</u>
PERIOD COVERED: <u>July 1, 2003 to June 30, 2004</u>			

SOUTHEAST REGION

Abstract

Group 2 - Fifty any-antelope permits were issued for Unit 68 in 2003. Sixty-eight percent of hunters in the controlled hunt reported harvesting a pronghorn antelope, identical to the success rate in 2002. Five female and 29 male pronghorn antelope were harvested. Harvested males had an average maximum horn length of 10.9 inches. Archery hunters reported taking four antelope. Population information is limited for the unit because of low density and wide dispersion.

Group 2

Management Unit 68

Harvest - The Unit 68 any-antelope permit level (50) remained the same in 2003 as in 2002 (Table 1). Hunter report cards were used to estimate harvest, participation, and horn length. Hunter success (68%) in 2003 was unchanged from 2002. All 50 permits were issued.

Twenty-seven archery hunters reported hunting an average of five days per hunter and harvesting four antelope, three males and one female.

Mean maximum horn length for the 2003 harvest was 10.9 inches (Table 2), below the 12.0-inch objective established in the 1991-1995 Pronghorn Antelope Management Plan.

Population Surveys - In the past, little population data has been available on size and trend of this pronghorn antelope herd. Subjective observations by Department personnel and other observers suggest the population increased from the most recent low reached during spring 1993 through 2001; however, significant losses may have occurred during winter 2001-2002.

Approximately 70-80 antelope are believed to have crossed American Falls reservoir on the ice during that winter to the vicinity of the Pocatello Regional Airport. Extensive efforts to haze the animals away from the airport were only partially effective. Observed numbers declined to around 15 by winter 2002. A fencing project to exclude wildlife from the airport property was undertaken in spring 2004.

Past estimates of the pronghorn antelope population on the Big Desert have been obtained through fixed-wing surveys using line-transect methodology based on Burnham et al. (1980) and modified by Johnson and Lindzey (1990). Line-transect surveys in Unit 68 were flown in autumn 1987 and in the spring of 1988, 1990, and 1991.

Population estimates calculated for the Big Desert have varied greatly. Confidence limits for the population estimates have been unacceptably wide due to the low density of pronghorn antelope in the area and their unpredictable distribution.

The application of line-transect surveys and use of the TRANSECT II program for pronghorn antelope in areas that have low level, dispersed populations such as the Big Desert has definite limitations (Laake et al. 1978, White 1986). The technique can still provide a systematic method to survey pronghorn antelope over large areas; however, the inability to increase sample sizes easily and cost-efficiently prevents generation of population estimates with acceptable confidence limits.

An aerial survey for pronghorn antelope was conducted during August 1999 within Unit 68. The intent of the survey was to collect distribution and minimum known count data for pronghorn antelope. Strip transects, each 1,500 m, were flown north-south across the unit. A total of 7.5 hours of flight time was used. Six groups of pronghorn antelope were located with a total count of 64.

Climatic Conditions - The 2003-2004 winter snow pack in the Southeast Region was below the 30-year average, with the greatest snowfall occurring during late December and early January. No supplemental feeding of antelope was done, and no depredations were reported.

LITERATURE CITED

- Burnham, K. P., D. R. Anderson, and J. L. Laake. 1980. Estimation of density from line transect sampling of biological populations. Wildlife Monographs 72. 202 pp.
- Johnson, B. and F. Lindzey. 1990. Guidelines for estimating pronghorn antelope numbers using line transects. Wyoming Game and Fish Department. 30 pp.
- Laake, J. L., K. P. Burnham, and D. R. Anderson. 1979. User's manual for Program TRANSECT. Utah State University Press, Logan, Utah. 26 pp.
- White, G. C. 1986. Program TRANSECT II. Colorado State University, Fort Collins, Colorado, USA.

Table 1. Summary of pronghorn antelope harvest in the Southeast Region, Group 2, 1981-present.

Hunt area	Year	Permits	Harvest			% Male	% Success
			Male	Female	Total		
68	1981	50	37	5	42	88	84
	1982	50	36	5	41	88	82
	1983	50	32	16	48	67	96
	1984	50	37	3	40	93	80
	1985	50	35	7	42	83	84
	1986	50	44	4	48	92	96
	1987	75	59	10	69	86	92
	1988	75	59	3	62	95	83
	1989	350	72	214	286	25	82
	1990	225	58	101	159	36	71
	1991	300	82	84	166	49	55
	1992	300	73	65	138	53	46
	1993	100	29	6	35	83	35
	1994	50	16	3	19	84	38
	1995	50	16	4	20	80	40
	1996	50	17	5	22	77	44
	1997	50	19	0	19	100	38
	1998	50	19	1	20	95	40
	1999	50	22	1	23	96	46
	2000	50	29	4	33	88	66
	2001	50	30	5	35	86	70
	2002	50	25	9	34	74	68
	2003	50	29	5	34	85	68

Table 2. Summary of hunter-harvested pronghorn antelope horn length in the Southeast Region, Group 2, 1991-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
68	1991	100	27	11.7
	1992	100	30	12.4
	1993	100	12	11.8
	1994	50	12	13.7
	1995	50	13	12.3
	1996	50	10	10.8
	1997	50	12	12.3
	1998	50	14	12.4
	1999	50	20	12.8
	2000	50	-	11.5
	2001	50	-	12.6
	2002	50	-	11.1
	2003	50	27	10.9

**PROGRESS REPORT
SURVEYS AND INVENTORIES**

STATE:	<u>Idaho</u>	JOB TITLE:	<u>Antelope Surveys and</u>
PROJECT:	<u>W-170-R-28</u>		<u>Inventories</u>
SUBPROJECT:	<u>6</u>	STUDY NAME:	<u>Big Game Population Status,</u>
STUDY:	<u>1</u>		<u>Trends, Use, and Associated</u>
JOB:	<u>7</u>		<u>Habitat Studies</u>
PERIOD COVERED: <u>July 1, 2003 to June 30, 2004</u>			

UPPER SNAKE REGION

Abstract

Group 2 - A composition survey was conducted in Units 51 and 58 in August 2003. Permit numbers were reduced in all hunt areas except Hunt Area 50 for the 2003 season. Harvest estimates and horn length data were collected by a mandatory mail-in report of pronghorn tag buyers that was followed by a telephone survey sample of non-responders. The average horn length was below the 12-inch management plan objective for all hunts except Hunt Area 58. No pronghorn depredation complaints were received in Group 2 units during this reporting period. The summer of 2003 was much drier than normal; wintering conditions during the 2003-2004 winter were near normal.

Group 3 - A composition survey was conducted in Hunt Area 63-2 in August 2003. No population surveys in other Group 3 units have been done in recent years. Permit numbers were reduced for Hunt Areas 60A, 63-1, and 63-2 for the 2003 season. Harvest estimates and horn length data were collected by a mandatory mail-in report of pronghorn tag buyers that was followed by a telephone survey sample of non-responders. Two pronghorn depredation complaints on stored hay were received in Hunt Area 63-2 during this reporting period. One complaint was for about 300 pronghorn and was solved by providing Zon guns to the complainant. The other complaint involved about 250 pronghorn and was addressed with Zon guns, cracker shells, and netting. The summer of 2003 was much drier than normal; wintering conditions during the 2003-2004 winter were near normal.

Group 2

Management Units 50, 51, 58, 59, 59A

Management - These mountain-valley units support the most productive pronghorn herds in the Region. The Bureau of Land Management and U.S. Forest Service manage most of the land with limited private cultivated land occurring along the major stream corridors. Pronghorn occurring in these units are seasonally migratory, and during severe winters, migrate into Unit 63.

Minor depredations on hay and grain crops are common during the summer, but landowners tolerate most problems when they receive assistance from the Department. Major depredation complaints are received during extremely dry years when pronghorn congregate on irrigated fields. Under these conditions, the Department has authorized additional depredation hunts and paid for crop and fence damage.

Harvest - One of the objectives of the 1991-1995 pronghorn plan for this group of units is to maintain an average horn length of 12 inches in the firearm either-sex harvest. This information was collected by telephone survey from 1994 through 2000. From 2001 through 2003, the harvest estimate (Table 1) and horn length estimate (Table 2) were collected by a mandatory report of tag buyers that was followed by a telephone survey of a sample of non-responders. These estimates do not include the permits, harvest estimates, or horn length estimates for the landowner appreciation permits. The 12-inch average minimum horn length objective was met for Hunt Area 58 only in the 2003 season (Table 2). Reported horn length sample size remains smaller than desired for precision estimates. Archery horn-length measurements exceeded the 12-inch management object for Unit 59A only.

Population Surveys - Herd composition and trend surveys was conducted in Units 37/51 and 30A/58 during August 2003 (Table 3). A helicopter with pilot and two observers was used to survey Unit 37 south of Double Springs Pass Road and Unit 51 north of Wet Creek and west of the Howe-May-Ellis Road, and Unit 30A south of Eighteen Mile Creek and Unit 58 north of Scott Canyon and east of Highway 28. These areas include the most productive summer pronghorn habitat in these units. The objective was to classify 300 pronghorn in each survey area. Data collected for pronghorn groups observed included: sex and age classification, activity when first detected, habitat type, and UTM location.

A total of 396 pronghorn were classified in the Unit 37/51 area with a buck:doe:fawn ratio of 29:100:41 (Table 3). The buck:doe ratio was slightly lower than that observed for Unit 51 in 2001, but the fawn:doe ratio was slightly better than the 2001 count.

For Units 30A/58, a total of 301 pronghorn were classified with a buck:doe:fawn ratio of 39:100:33 (Table 3). Both the buck:doe and fawn:doe ratios were lower than they were for Unit 58 in 2000.

It is difficult to compare these surveys with prior surveys because survey methodologies and areas surveyed were not conducted the same way.

No depredation complaints were received from any Group 2 units during this reporting period.

Climatic Conditions - The summer and fall of 2003 was very dry and the winter 2003-2004 was near normal for snowfall and temperatures.

Group 3

Management Units 60, 60A, 61, 63

Management - These units provide important pronghorn habitat but are difficult to manage. Units 60 and 60A have productive summer range, but access to traditional winter range from these units was blocked when Interstate 15 was built. Under current conditions, the herd increases during light to moderate winters but is decimated during hard winters.

Habitat Conditions - Pronghorn habitat in the eastern portion of Unit 61 is restricted to summer range on the Henrys Lake Flat area and adjacent clear-cuts. These pronghorn winter in the Madison Valley of Montana. Summer range is predominantly privately owned. Some landowners have complained to the Department about pronghorn using their land for foraging but have also posted their land to hunting. Montana experiences some winter depredation problems involving these pronghorn. Therefore, the Region's goal is to manage this herd for non-consumptive value and use sport harvest to prevent it from increasing and causing more severe depredations.

Habitat in the western portion of Unit 61 is primarily confined to the Beaver Creek drainage and its tributaries. These pronghorn winter southeast of Dillon, Montana, and currently are not causing any winter depredation problems.

Unit 63 provides winter range for pronghorn summering in Group 2 units, and year-round habitat for resident pronghorn. Approximately half the unit is controlled by the U.S. Department of Energy as the Idaho National Engineering and Environmental Laboratory (INEEL) and is closed to hunting. In several areas, irrigated crops are grown on private lands that abut the INEEL. Consequently, some of the pronghorn summering in Unit 63 frequently cause depredation problems on private lands but are unavailable to sportsmen for harvest. Summer crop depredations occur on other private land in the unit but are easier to control with hunting. Fall and winter depredations on stored hay is common from pronghorn summering in Group 2 units.

Harvest - Permit numbers were reduced for Hunt Areas 60A, 63-1, and 63-2 for the 2003 season (Table 4).

The average horn length for reported hunter harvest in 2003 was less than 12 inches for all Group 3 hunts (Table 5). Although the 1991-1995 pronghorn plan does not include a minimum average horn length goal for this group of units, the plan does note as a management consideration that mature buck numbers were below desired levels.

Hunt Area 63-2 is one of only three pronghorn hunts in the state restricted to muzzleloaders. Muzzleloader interest has increased over the past few years and since 1994, first-choice applicants have filled all permits.

Pronghorn controlled harvest for the Upper Snake Region appears in Table 6.

Two pronghorn depredation complaints on stored hay in Unit 63 were received during the winter 2003-2004. One involved approximately 300 pronghorn in the Montevue area that was solved with the use of Zon guns. The other complaint involved an estimated 250 pronghorn in the Beaver Creek Farms area and was solved with Zon guns, cracker shells, and netting.

Pronghorn in Units 60 and 60A appear to have recovered from heavy winter mortality suffered during the hard winters of 1983-1984, 1984-1985, and 1992-1993.

Population Surveys - A herd composition survey was conducted in the Unit 63 north of Highway 33 and around the private land south Highway 33. A helicopter with pilot and two observers was used to conduct the survey. Most of the pronghorn observed were near irrigated alfalfa field. The objective was to classify 300 pronghorn in the survey area. Data collected for pronghorn groups observed included: sex and age classification, activity when first detected, habitat type, and UTM location. Surveys from this area are very limited (Table 3).

The Environmental Science and Research Foundation, Inc., and, since July 2000, Stoller Corporation have conducted pronghorn population estimates following methodology described by Johnson and Lindzey (1990). Table 7 shows summer and winter pronghorn population estimates (Transect II; Johnson and Lindzey 1990 or Pojar et al. 1995) for the INEEL, 1994-2003. Summer flights were conducted during July or August; winter flights were conducted during January or February.

Climatic Conditions - The summer and fall of 2003 were very dry and the winter of 2003-2004 was near normal for both snow depth and temperature.

Literature Cited

- Johnson, B. and F. Lindzey. 1990. Guidelines for estimating pronghorn antelope numbers using line transects. Wyoming Game and Fish Department. 30 pp.
- Pojar, T. M., D. C. Bowden, and B. R. Gill. 1995. Aerial counting experiments to estimate pronghorn density and herd structure. *Journal of Wildlife Management* 59(1):117-128.

Table 1. Summary of pronghorn antelope harvest in the Upper Snake Region, Group 2, 1994-present.

Hunt area	Year	Permits ^a	Harvest ^a			% Male	% Success
			Male	Female	Total		
50	1994	180	111	19	130	85	72
	1995	180	97	21	118	82	66
	1996	180	79	24	103	77	57
	1997	180	89	22	111	80	62
	1998	180	75	25	100	75	56
	1999	180	72	30	102	71	57
	2000	130	58	22	80	73	62
	2001	120	53	11	64	83	53
	2002	75	46	8	54	85	79
	2003	75	45	6	51	88	80
51	1994	125	70	31	101	69	81
	1995	125	85	4	89	96	71
	1996	125	79	14	93	85	74
	1997	175	89	23	112	79	64
	1998	175	85	29	114	75	65
	1999	175	93	26	119	78	68
	2000	175	88	17	105	84	60
	2001	155	80	20	100	80	65
	2002	105	54	11	65	83	73
	2003	75	48	4	52	92	74
58	1994	50	27	8	35	77	70
	1995	50	26	10	36	72	72
	1996	50	25	10	35	71	70
	1997	50	34	4	38	89	76
	1998	50	29	14	43	67	86
	1999	50	36	1	37	97	74
	2000	50	37	8	45	82	90
	2001	75	51	6	57	89	76
	2002	75	45	4	49	92	70
	2003	50	30	7	37	81	84
59	1994	100	66	17	83	80	83
	1995	100	72	11	83	87	83
	1996	100	75	15	90	83	90
	1997	100	80	4	84	95	84
	1998	100	67	16	83	81	83
	1999	100	61	14	75	81	75
	2000	100	58	14	72	81	72
	2001	100	62	10	72	86	72
	2002	100	54	16	70	77	76
	2003	50	30	3	33	91	69

^a Does not include landowner appreciation permits or harvest estimates.

Table 2. Summary of hunter-harvested pronghorn antelope horn lengths in the Upper Snake Region, Group 2, 1994-present.

Hunt area	Year	Permits ^a	Sample size	Mean maximum horn length (inches) ^a
50	1994	180	86	12.8
	1995	180	64	11.9
	1996	180	39	11.7
	1997	180	53	10.9
	1998	180	52	11.5
	1999	180	72	11.2
	2000	130	102	11.1
	2001	120	53	10.4
	2002	75	46	10.8
	2003	75	40	11.6
51	1994	125	71	13.4
	1995	125	73	12.1
	1996	125	41	12.2
	1997	175	64	12.1
	1998	175	63	13.3
	1999	175	93	11.8
	2000	175	138	10.5
	2001	155	80	10.5
	2002	105	49	11.9
	2003	75	45	11.7
58	1994	50	31	12.9
	1995	50	20	11.6
	1996	50	15	11.3
	1997	50	28	13.2
	1998	50	19	12.4
	1999	50	36	14.3
	2000	50	42	9.5
	2001	75	51	11.0
	2002	75	45	11.1
	2003	50	29	12.3
59	1994	100	48	12.6
	1995	100	40	11.5
	1996	100	30	10.6
	1997	100	45	11.6
	1998	100	42	12.8
	1999	100	61	12.1
	2000	100	73	10.7
	2001	100	62	10.6
	2002	100	54	10.6
	2003	50	28	10.9

^a Does not include landowner appreciation permits or harvest estimates.

Table 3. Summary of pronghorn antelope surveys in the Upper Snake Region, 1973-present.

Unit(s)	Year	Bucks	Does	Fawns	Total	Bucks/100 does	Fawns/100 does
51	1973	90	235	125	450	38.3	53.2
	1974	43	109	86	238	39.4	78.9
	1975	58	171	105	334	33.9	61.4
	1976	97	145	98	340	66.9	67.6
	1977	113	288	170	571	39.2	59.0
	1978	107	354	203	664	30.2	57.3
	1979	114	301	178	593	37.9	59.1
	1980	94	293	152	539	32.1	51.9
	1981	172	504	299	975	34.1	59.3
	1982	176	500	232	908	35.2	46.4
	1983	134	495	284	913	27.1	57.4
	1984	309	830	462	1,601	37.2	55.7
	1986	241	596	342	1,179	40.4	57.4
	1989 ^a	-	-	-	4,062	-	-
	1996 ^b	309	1,565	506	2,380	19.7	32.3
2001 ^c	149	417	137	703	35.7	32.9	
2003 ^d	68	232	96	396	29.3	41.4	
58	1973	54	132	84	270	40.9	63.6
	1974	73	164	127	364	44.5	77.4
	1975	58	167	124	349	34.7	74.3
	1976	80	127	76	283	63.0	59.8
	1977	61	130	79	270	46.9	60.8
	1978	80	153	146	379	52.3	95.4
	1979	73	136	126	335	53.7	92.6
	1980	96	147	134	377	65.3	91.2
	1981	81	135	90	306	60.0	66.7
	1982	139	282	156	577	49.3	55.3
	1984	107	336	158	601	31.8	47.0
	1986	114	345	149	608	33.0	43.2
	2000	94	230	102	426	40.9	44.3
	2000 ^e	147	321	144	612	45.8	44.9
	2003 ^f	68	175	58	301	38.9	33.1
59/59A	1974	23	91	78	192	25.3	85.7
	1975	63	132	77	272	47.7	58.3
	1976	110	189	154	453	58.2	81.5
	1977	105	158	94	357	66.5	59.5
	1978	86	202	173	461	42.6	85.6
	1979	97	221	230	548	43.9	104.1
	1980	53	130	104	287	40.8	80.0
	1981	68	162	149	379	42.0	92.0
	1982	129	251	171	551	51.4	68.1
	1984	105	295	235	635	35.6	79.7

Table 3. Continued.

Unit(s)	Year	Bucks	Does	Fawns	Total	Bucks/100 does	Fawns/100 does
	1986	99	281	269	649	35.2	95.7
	2002	37	194	69	330	19.1	20.1
	2002 ^g	42	230	89	390	18.3	38.7
63	1983 ^h	32	175	84	291	18.3	48.0
	2002 ^a	-	-	-	2,111	-	-
	2003 ^j	45	141	70	256	31.9	59.6

^a Line-transect estimate.

^b Pojar et al. estimate.

^c Modified Pojar et al. estimate.

^d Composition survey of the area south of Double Springs Pass Road in Unit 37 and the area north of Wet Creek and west of the Howe-May-Ellis Road in Unit 51.

^e Population estimate for all of Unit 58.

^f Composition survey of Unit 30A south of Eighteen Mile Creek and the area north of Scott Canyon and east of Highway 28 in Unit 58.

^g Population estimate for all of Units 59 and 59A

^h Conducted during mid-August with a Hiller 12-E helicopter. Flights were conducted during calm and clear weather only, and early morning and evening work periods are emphasized. Each population was flown until a minimum of 135 does were counted, or no more animals could be located (Autenreith R.E. 1982 Antelope-sage grouse ecology [W-160-R-9], Idaho Department of Fish and Game, page 1).

ⁱ Composition survey of Unit 63 north of Highway 33 and around the agricultural lands south and east of Mud Lake-Terreton was surveyed with two observers and pilot using a Bell G-47 helicopter August 4, 2003. The goal was to classify 300 antelope.

Table 4. Summary of pronghorn antelope harvest in the Upper Snake Region, Group 3, 1994-present.

Hunt area	Year	Permits	Harvest ^a			% Male	% Success
			Male	Female	Total		
60A	1994	50	29	10	39	74	78
	1995	75	15	14	29	52	39
	1996	75	20	8	28	71	37
	1997	75	19	28	47	40	63
	1998	50	17	6	23	74	46
	1999	50	22	11	33	67	66
	2000	50	24	9	33	73	66
	2001	50	26	10	36	72	72
	2002	50	32	7	39	82	89
	2003	25	16	2	18	89	78
61	1994	50	10	12	22	45	44
	1995	50	8	7	15	53	30
	1996	50	5	11	16	31	32
	1997	50	15	9	24	63	48
	1998	50	1	12	13	8	26
	1999	25	12	10	22	55	88
	2000	25	2	4	6	33	24
	2001	25	9	7	16	56	64
	2002	25	8	9	17	47	74
	2003	25	13	5	18	72	82
63	1994	175	66	13	79	84	45
	1995	175	59	16	75	79	43
	1996	175	71	29	100	71	57
	1997	225	95	23	118	81	52
	1998	225	79	26	105	75	47
	1999	225	79	32	111	71	60
	2000	150	61	21	82	74	63
	2001	160	63	23	86	73	61
	2002	160	29	13	42	69	31
	2003	125	63	11	74	85	63

^a Does not include landowner appreciation permits or harvest estimates.

Table 5. Summary of hunter-harvested pronghorn antelope horn lengths in the Upper Snake Region, Group 3, 1994-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches) ^a
60A	1994	50	28	9.8
	1995	75	13	9.9
	1996	75	10	8.9
	1997	75	13	10.1
	1998	50	14	10.4
	1999	50	22	8.9
	2000	50	37	9.1
	2001	50	26	10.0
	2002	50	32	9.9
	2003	25	16	10.9
61	1994	50	17	10.6
	1995	50	6	7.2
	1996	50	3	10.7
	1997	50	8	10.9
	1998	50	1	3.0
	1999	25	12	9.8
	2000	25	21	8.3
	2001	25	9	6.0
	2002	25	8	9.7
	2003	25	11	9.4
63	1994	175	51	10.7
	1995	175	33	11.7
	1996	175	31	11.1
	1997	225	44	10.8
	1998	225	38	11.3
	1999	225	79	11.8
	2000	150	115	11.6
	2001	160	63	10.8
	2002	160	54	10.8
	2003	125	60	10.7

^a Does not include landowner appreciation permits or harvest estimates.

Table 6. Summary of antelope harvest in the Upper Snake Region, 1977-present.

Year	Permits	Harvest ^a			% Male	% Success
		Male	Female	Total		
1977	855	440	141	581	76	68
1978	930	502	203	705	71	76
1979	1,030	597	181	778	77	76
1980	1,120	660	164	824	80	74
1981	1,290	870	250	1,120	78	87
1982	1,365	1,025	234	1,259	81	92
1983	2,215	1,009	515	1,524	66	69
1984	2,115	879	354	1,233	71	58
1985	2,000	944	396	1,340	70	67
1986	2,090	1,035	547	1,582	65	76
1987	1,910	979	425	1,404	70	74
1988	2,095	1,156	504	1,660	70	79
1989	2,680	769	1,195	1,964	39	73
1990	2,385	783	1,008	1,791	44	75
1991	1,750	617	668	1,285	48	73
1992	1,555	551	654	1,205	55	65
1993	1,555	454	491	945	48	61
1994	730	379	110	489	78	67
1995	755	362	83	445	81	59
1996	755	354	111	465	76	62
1997	855	255	68	323	79	38
1998	830	353	128	481	73	58
1999	805	375	154	529	71	66
2000	680	328	95	423	78	62
2001	685	344	87	431	80	63
2002	590	293	77	370	79	63
2003	425	245	38	283	87	67

^a Does not include landowner appreciation permits or harvest estimates.

Table 7. Estimates of pronghorn on the INEEL in the Upper Snake Region, 1994-present.

Year	Summer			Winter		
	Number Observed	Number Groups	Population estimate	Number Observed	Number Groups	Population estimate
1994 ^a	123	39	250±138	-	-	-
1995 ^a	198	-	474±260	1,093	23	-
1996 ^b	256	8	1,247±1,212	-	-	-
1997 ^a	64	28	401±190	1,986	82	3,286±692
1998 ^a	-	-	-	911	36	3,161±997
1999 ^a	52	23	479±112	1,398	21	2,939±1,226
2000 ^a	199	58	556±151	1,190	74	3,717±702
2001 ^a	98	29	1,307±165	1,341	36	4,126±1,311
2002 ^a	51	12	246±98	866	19	7,005±3,624
2003 ^a	94	24	185±79	702	45	2,315±542
2004 ^a	-	-	-	432	50	3,052±907

^a Line-transect estimate.

^b Pojar et al. estimate.

**PROGRESS REPORT
SURVEYS AND INVENTORIES**

STATE:	<u>Idaho</u>	JOB TITLE:	<u>Pronghorn Antelope Surveys and Inventories</u>
PROJECT:	<u>W-170-R-28</u>	STUDY NAME:	<u>Big Game Population Status, Trends, Use, and Associated Habitat Studies</u>
SUBPROJECT:	<u>7</u>		
STUDY:	<u>I</u>		
JOB:	<u>7</u>		
PERIOD COVERED:	<u>July 1, 2003 to June 30, 2004</u>		

SALMON REGION

Abstract

There were 147 pronghorn antelope harvested in the Salmon Region in 2003, including 19 animals taken under archery ($n=10$) and landowner appreciation ($n=9$) permits. Controlled hunt harvest (128) equaled that of 2002 (Table 1). Harvest in 2003 remained well below recent harvest levels and tied the second lowest harvest in 34 years. Reductions in recent harvest reflect significant decreases in permits available throughout the Salmon Region since the early 1990s. Success for active hunters in controlled hunts was 72%; bucks comprised 83% of harvested pronghorn. Average horn lengths met minimum 12-inch criterion in three of five hunt areas, but sample sizes were small.

All doe/fawn permits were eliminated in 1998, compared to 100 issued in 1997 and 825 in seasons during 1992-1993. Either-sex permits remained constant at 520 from 1990 to 1997. In 1998, either-sex hunting was eliminated in Unit 21A (ten permits), reducing total permits to 510. In 1999, hunts in Units 29, 36A, and 37A were combined, and permits were reduced in most Salmon Region hunts. Hunt Area 36A was closed in 2001. In 2002, three separate hunts in Units 37 and 37A were combined and permit numbers were reduced. Because of changes in hunt areas (combination and elimination), comparisons and summaries based on pronghorn antelope-plan groups over time are less meaningful than in previous years. Therefore, for purposes of this section, assignment of GMUs to groups is modified to represent current hunt areas and group-specific comparisons are limited. Under current pronghorn densities, most hunting opportunities in the Salmon Region would likely be classified into Group 1.

As part of a cooperative research project (IDFG and University of Idaho), aerial surveys to obtain herd composition data were conducted in Unit 30A and part of Unit 37. We classified 379 pronghorn during the August 1-2, 2003 flights. Overall sex and age ratio was 26 fawns:100 females:35 males. Yearling male:100 female ratio was 17, indicating potentially higher recruitment in 2002 compared with 2003. Approximately 756 pronghorn were observed incidentally during surveys of other ungulates in Units 28, 29, 30, 36A, and 36B.

Group 1

Management Units 28, 36B, 37 (Part)

Combination and elimination of all or part of some units has reduced the area of Management Group 1. Only Hunt Area 36B (all of Unit 36B and extreme southeastern Unit 28) remains clearly distinguishable as a Group 1 area. Standard controlled hunt harvest from this hunt was 13 pronghorn in 2003, all of which were males (Table 2). Compared to 2002, harvest from this hunt area increased by one animal. Reported mean horn length was above plan criterion of 12 inches (Table 3).

A hunt for any pronghorn in Unit 21A was eliminated in 1998. Hunts 21A-2 (doe/fawn) and 36B-2 were terminated in 1994 and 1996, respectively. Permits in Hunt 37-3 were reduced from 75 to 25 in 1996; the hunt was subsequently eliminated in 1998. Hunts 36A-1 and 36A-2 were combined and permits were reduced in 1999; all controlled hunting in Unit 36A was eliminated in 2001. Number of permits in Hunt 37-1 was reduced in 1999. All hunts in Units 37 and 37A were combined in 2002 with a concurrent reduction in total permits.

Group 2

Management Units 21A (Part), 29, 30, 36A, 37 (Part), 37A

Hunt combinations now incorporate all of Units 29, 30, 37, and 37A in Group 2, as well as extreme southern Unit 21A. Hunters harvested 85 animals in three hunts in these units (Table 4). For comparable open hunt areas, number harvested was five less than in 2002. Males comprised 75% of the harvest. Mean horn lengths were above pronghorn antelope-plan criterion of 12 inches in two hunt areas and very close (11.9) to criteria in the third hunt area (Table 5).

As the objective to reduce populations and depredation problems was reached, all doe/fawn permits were eliminated in these units (Table 4). Specifically, in 1996 three doe/fawn hunts were eliminated (29-3, 29-4, and 37A-3). Doe/fawn permits were reduced in two other hunts in 1996 (36A-3 and 37-4) and the hunts were eliminated in 1998. Hunts within Units 29, 36A, and 37A were combined in 1999 with concurrent permit reductions of 50-75%. Permits in Hunt Area 37-2 were reduced by 75% in 1999. All controlled pronghorn hunting in Unit 36A was eliminated in 2001. All hunts in Units 37 and 37A were combined in 2002 with a concurrent reduction in total permits.

Group 3

Management Unit 30A

Consolidation of hunt areas left Unit 30A as the only distinguishable unit in Group 3. Harvest in the single hunt area was 30 in 2003, an increase of four from 2002 (Table 6). Hunters reported harvesting 28 bucks, six more than the previous year. Average horn length (11.6 inches) approached the goal of 12 inches and was identical to the value observed in 2002 (Table 7).

Table 1. Summary of pronghorn antelope harvest in the Salmon Region, 1969-present.

Year	Permits	Harvest			% Male	% Success ^a
		Male	Female	Total		
1969	855	385	241	626	62	73
1970	855	414	232	646	64	76
1971	855	402	188	590	68	69
1972	885	-	-	-	-	-
1973	875	353	204	557	63	64
1974	835	371	180	551	67	66
1975	765	296	157	453	65	59
1976	725	238	120	358	66	49
1977	610	260	111	371	70	61
1978	460	256	95	351	73	76
1979	445	270	88	358	75	80
1980	445	283	61	344	82	77
1981	495	350	53	403	87	81
1982	565	414	61	475	87	84
1983	670	469	89	558	84	83
1984	745	486	90	576	84	77
1985	745	426	137	563	76	76
1986	760	460	136	596	77	78
1987	760	435	153	588	74	77
1988	760	470	133	603	78	79
1989	968	464	309	773	60	80
1990	774	341	271	612	56	79
1991	995	429	373	802	53	81
1992	1,345	416	561	977	43	73
1993	1,345	372	499	871	43	65
1994	1,010	321	342	663	48	66
1995	915	286	200	486	59	53
1996	620	270	114	384	70	62
1997	620	240	107	347	69	56
1998	510	162	73	235	69	46
1999	245	87	36	123	71	50
2000	245	108	40	148	73	60
2001	220	115	24	139	83	63
2002	195	104	24	128	81	66
2003	195	105	22	127	82	66

^a Success calculated as number harvested divided by number of permits available.

Table 2. Summary of pronghorn antelope harvest in the Salmon Region, Group 1, 1993-present.

Hunt area	Year	Permits	Harvest			% Male	% Success ^a
			Male	Female	Total		
21A	1993	30	3	12	15	20	50
	1994	10	3	1	4	75	40
	1995	10	9	0	9	100	90
	1996	10	2	2	4	50	40
	1997	10	7	0	7	100	70
36A	1993	15	4	4	8	50	53
	1994	15	8	2	10	80	67
	1995	15	6	3	9	67	60
	1996	15	4	1	5	80	33
	1997	15	6	0	6	100	40
36B	1998	15	4	2	6	67	40
	1993	50	18	12	30	60	60
	1994	50	15	10	25	60	50
	1995	50	17	9	26	65	52
	1996	25	16	1	17	94	68
	1997	25	15	0	15	100	60
	1998	25	17	0	17	100	68
	1999	25	11	7	18	61	72
	2000	25	10	0	10	100	40
	2001	25	14	2	16	88	64
37	2002	25	8	4	12	75	55
	2003	25	13	0	13	100	52
	1993	175	50	60	110	45	63
	1994	150	51	46	97	53	65
	1995	150	44	27	71	62	47
	1996	100	43	16	59	73	59
	1997	100	33	23	56	59	56
	1998	75	21	13	34	62	45
	1999	25	5	7	12	42	48
	2000	25	11	3	14	79	56
	2001	25	13	2	15	87	60

^a Success calculated as number harvested divided by number of permits available.

Table 3. Summary of hunter-harvested pronghorn antelope horn length in the Salmon Region, Group 1, 1993-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
21A	1993	10	2	13.2
	1994	10	2	14.5
	1995	10	9	12.9
	1996	10	2	15.0
	1997	10	5	13.4
36A	1993	15	3	12.9
	1994	15	5	12.4
	1995	15	5	11.8
	1996	15	3	10.0
	1997	15	4	13.4
	1998	15	4	11.5
36B	1993	25	13	11.4
	1994	25	13	13.5
	1995	25	12	14.3
	1996	25	11	13.4
	1997	25	9	12.4
	1998	25	11	13.4
	1999	25	11	12.0
	2000	25	8	12.2
	2001	25	14	12.5
	2002	25	7	12.4
37	1993	75	26	12.4
	1994	75	35	14.0
	1995	75	34	13.6
	1996	75	21	12.3
	1997	75	23	14.3
	1998	75	15	10.8
	1999	25	5	15.7
	2000	25	10	12.3
	2001	25	12	10.8

Table 4. Summary of pronghorn antelope harvest in the Salmon Region, Group 2, 1993-present.

Hunt area	Year	Permits	Harvest			% Male	% Success ^a	
			Male	Female	Total			
29	1993	150	41	46	87	47	58	
	1994	100	30	32	62	48	62	
	1995	75	27	17	44	61	59	
	1996	50	26	5	31	84	62	
	1997	50	12	8	20	60	40	
	1998	50	9	7	16	56	32	
	1999	50	12	11	23	52	46	
	2000	50	13	12	25	52	50	
	2001	50	16	7	23	70	46	
	2002	40	18	6	24	75	60	
30	1993	130	24	63	87	28	67	
	1994	80	29	27	56	52	70	
	1995	55	23	18	41	56	75	
	1996	30	21	6	27	78	90	
	1997	30	22	1	23	96	77	
	1998	30	26	2	28	93	93	
	1999	30	22	0	22	100	73	
	2000	30	26	2	28	93	93	
	2001	30	23	0	23	100	77	
	2002	30	23	2	25	92	83	
36A	1993	150	34	59	93	37	62	
	1994	100	32	20	52	62	52	
	1995	100	23	22	45	51	45	
	1996	75	12	12	24	50	32	
	1997	75	21	16	37	57	49	
	1998	50	12	4	16	75	32	
	1999	25	5	0	5	100	20	
	2000	25	3	6	9	33	36	
	37	1993	225	86	87	173	50	77
		1994	200	71	96	167	43	84
1995		200	59	46	105	56	53	
1996		150	72	49	121	60	81	
1997		150	49	38	87	56	58	
1998		100	20	15	35	57	35	
1999		25	7	2	9	78	36	
2000		25	10	5	15	67	60	
2001		25	13	5	18	72	72	
2002		60	33	8	41	80	68	
2003	60	30	9	40	77	67		

Table 4. Continued.

Hunt area	Year	Permits	Harvest			% Male	% Success ^a
			Male	Female	Total		
37A	1993	150	45	51	96	47	64
	1994	125	30	39	69	43	55
	1995	125	28	23	51	55	41
	1996	75	26	11	37	70	49
	1997	75	24	9	33	73	44
	1998	75	16	13	29	55	39
	1999	25	5	3	8	63	32
	2000	25	8	3	11	73	44
	2001	25	9	3	12	75	48

^a Success calculated as number harvested divided by number of permits available.

Table 5. Summary of hunter-harvested pronghorn antelope horn length in the Salmon Region, Group 2, 1993-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
29	1993	50	15	12.5
	1994	50	22	14.0
	1995	50	23	12.0
	1996	50	15	11.5
	1997	50	8	10.4
	1998	50	7	12.1
	1999	50	12	9.9
	2000	50	12	11.8
	2001	50	16	10.9
	2002	40	16	10.9
	2003	40	15	11.9
30	1993	30	16	12.2
	1994	30	16	12.7
	1995	30	17	13.1
	1996	30	15	11.0
	1997	30	20	12.0
	1998	30	17	12.0
	1999	30	22	11.9
	2000	30	18	12.2
	2001	30	21	12.5
	2002	30	21	13.1
	2003	30	16	12.3
36A	1993	50	9	13.5
	1994	50	23	13.0
	1995	50	20	12.3
	1996	50	7	11.1
	1997	50	17	13.4
	1998	50	9	13.8
	1999	25	5	12.5
	2000	25	3	12.6
37	1993	100	30	11.8
	1994	100	40	13.2
	1995	100	32	12.3
	1996	100	28	10.3
	1997	100	27	12.4
	1998	100	12	11.8
	1999	25	7	11.0
	2000	25	8	10.9
	2001	25	12	13.1
	2002	60	31	12.8
2003	60	28	12.8	

Table 5. Continued.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
37A	1993	75	18	12.3
	1994	75	25	11.1
	1995	75	24	11.7
	1996	75	16	12.4
	1997	75	17	11.7
	1998	75	11	12.1
	1999	25	5	11.3
	2000	25	7	10.8
	2001	25	8	11.4

Table 6. Summary of pronghorn antelope harvest in the Salmon Region, Group 3, 1993-present.

Hunt area	Year	Permits	Harvest			% Male	% Success ^a
			Male	Female	Total		
29	1993	150	38	72	110	35	73
	1994	100	30	44	74	41	74
	1995	75	27	22	49	55	65
	1996	50	28	7	35	80	70
	1997	50	28	8	36	78	72
	1998	50	15	13	28	54	56
30A	1993	120	29	33	62	47	52
	1994	80	22	25	47	47	59
	1995	60	23	13	36	64	60
	1996	40	20	4	24	83	60
	1997	40	23	4	27	85	68
	1998	40	22	3	25	88	63
	1999	40	20	6	26	77	65
	2000	40	27	9	36	75	90
	2001	40	27	5	32	84	80
	2002	40	22	4	26	85	65
2003	40	28	2	30	93	75	

^a Success calculated as number harvested divided by number of permits available.

Table 7. Summary of hunter-harvested pronghorn antelope horn length in the Salmon Region, Group 3, 1993-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
29	1993	50	17	11.0
	1994	50	26	12.8
	1995	50	23	12.2
	1996	50	17	11.1
	1997	50	21	11.2
	1998	50	13	10.2
30A	1993	40	15	11.2
	1994	40	16	12.1
	1995	40	19	10.1
	1996	40	13	11.6
	1997	40	20	11.7
	1998	40	15	12.3
	1999	40	20	10.3
	2000	40	20	10.8
	2001	40	26	10.8
	2002	40	20	11.6
2003	40	26	11.6	

APPENDIX A



2003 ANTELOPE HUNTING SEASONS

Doe or fawn only: Only antelope without a black "cheek patch" or with horns less than 3 inches long may be taken during doe or fawn only antelope seasons.

Antelope archery tags may be purchased for use in any archery antelope hunt. Controlled hunt permits and tags issued for antelope controlled hunts may be used only in the hunt for which the permittee was drawn.

Any person who purchases an archery antelope tag who is subsequently drawn for a controlled hunt must return the unused archery tag to an IDFG office to exchange it for the controlled hunt tag at a cost of \$3.50.

Any person who receives a controlled hunt permit and tag for antelope is prohibited from hunting in any general season archery antelope hunt.

EVIDENCE OF SEX

See page 11.

Attention Antelope Archery Hunters!

Don't give your sport a black eye. Did you know that leaving blind material is considered littering? And, digging pits on federal land is a violation of federal law? For information on how to construct a legal blind, contact your local Bureau of Land Management office.

GENERAL ANTELOPE ARCHERY SEASONS

(Either sex may be taken)

Unit(s)	2003 SEASON DATES
21A, 28, 29, 30, 30A, 36, 36A, 36B, 37, 37A, 40, 41, 42, 45, 46, 47, 49, 50, 51, 52A, 53, 58, 59, 59A, 60, 60A, 61, 63 (that portion south of Highway 33), 68, Motorized Vehicle Restriction Units 47, 49, 50, 51, 58, 59, 59A; See note 1, Page 51	Aug 15 - Sep 15

MANDATORY REPORT REQUIREMENTS: All antelope hunters are required to fill out a Harvest Report within 10 days after harvest, or within 10 days of the close of the hunting season.

ANTELOPE

2003 CONTROLLED HUNTS (1,520 PERMITS) EITHER SEX ANTELOPE

Hunt No.	Season Dates	Controlled Hunt Areas	Permits	Notes
4001	Sep 25 - Oct 24	29 (see pg 52)	40	
4002	Sep 25 - Oct 24	30* (see pg 52)	30	
4003	Sep 25 - Oct 24	30A	40	
4004	Sep 25 - Oct 24	36B* (see pg 52)	25	
4005	Sep 25 - Oct 24	37* (see pg 52)	60	
4006	Sep 25 - Oct 24	39	25	
4007	Sep 25 - Oct 24	40	150	
4008	Sep 25 - Oct 24	42* (see pg 52)	200	
4009	Sep 25 - Oct 24	44* (see pg 52)	40	
4010	Sep 25 - Oct 24	45	10	
4011	Sep 25 - Oct 24	46-1	60	
4012	Sep 25 - Oct 24	49	50	<i>Motorized Vehicle Restriction, See note 1, Page 51</i>
4013	Sep 25 - Oct 24	50	75	<i>Motorized Vehicle Restriction, See note 1, Page 51</i>
4014	Sep 25 - Oct 24	51* (see pg 52)	75	<i>Motorized Vehicle Restriction, See note 1, Page 51</i>
4015	Sep 25 - Oct 24	52*	20	<i>Motorized Vehicle Restriction, Unit 48, See note 1, Page 51</i>
4016	Sep 25 - Oct 24	52A	25	
4017	Sep 25 - Oct 24	54	25	

(Continued)

* — See antelope controlled hunt area descriptions. This area includes other units or parts of other units.

2003 CONTROLLED HUNTS - CONTINUED
EITHER SEX ANTELOPE

Hunt No.	Season Dates	Controlled Hunt Areas	Permits	Notes
4018	Sep 25 - Oct 24	58	50	<i>Motorized Vehicle Restriction, See note 1, Page 51</i>
4019	Sep 25 - Oct 24	59* (see pg 52)	50	<i>Motorized Vehicle Restriction, See note 1, Page 51</i>
4020	Sep 25 - Oct 24	60A* (see pg 52)	25	
4021	Sep 25 - Oct 24	63-1	50	
4022	Sep 25 - Oct 24	68	50	

2003 CONTROLLED HUNTS
DOE OR FAWN ANTELOPE

Hunt No.	Season Dates	Controlled Hunt Areas	Permits	Notes
4023	Oct 5 - Oct 24	44* (see pg 52)	100	
4024	Oct 5 - Oct 24	46-2* (see pg 52)	25	<i>Motorized Vehicle Restriction Unit 47, See note 1, Page 51</i>

2003 EITHER SEX ANTELOPE
MUZZLELOADER CONTROLLED HUNTS

Hunt No.	Season Dates	Controlled Hunt Areas	Permits	Notes
4025	Sep 25 - Oct 24	41	40	
4026	Sep 25 - Oct 24	47	40	<i>Motorized Vehicle Restriction, See note 1, Page 51</i>
4027	Aug 25 - Oct 24	63-2	75	

2003 EITHER SEX ANTELOPE
SHORT-RANGEWEPON CONTROLLED HUNTS

Hunt No.	Season Dates	Controlled Hunt Areas	Permits	Notes
4028	Sep 25 - Oct 24	61	25	<i>Limited Access</i>

2003 EITHER SEX ANTELOPE
YOUTH CONTROLLED HUNTS

Hunt No.	Season Dates	Controlled Hunt Areas	Permits	Notes
4029	Sep 25 - Oct 24	32* (see pg 52)	15	<i>Motorized Vehicle Restriction, See note 1, Page 51</i> <i>See note 2, Page 51</i>
4030	Sep 25 - Oct 24	52*	25	<i>See note 2, Page 51</i>

Notes:

- 1 — Motorized vehicle use as an aid to hunting for wildlife is restricted to established roadways open to motorized vehicle traffic capable of travel by full-sized automobiles. A full-sized automobile shall be defined as any motorized vehicle with a gross vehicle weight in excess of 1500 pounds.
- 2 — ONLY hunters 12 - 17 years of age with a valid hunting license may apply for this hunt.

* See antelope controlled hunt area descriptions. This area includes other units or parts of other units.

ANTELOPE CONTROLLED HUNT AREA DESCRIPTIONS

ANTELOPE

Hunt Area 29 — All of Unit 29 except the Poison Creek drainage.

Hunt Area 30 — All of Unit 30 and that portion of Unit 21A south and east of Carmen Creek Road.

Hunt Area 30A — All of Unit 30A.

Hunt Area 32 — All of Units 32 and 32A.

Hunt Area 36B — All of Unit 36B, and that portion of Unit 28 upstream from and including the Iron Creek drainage.

Hunt Area 37 — All of Units 37 and 37A, and that part of Unit 29 in the Poison Creek drainage.

Hunt Area 39 — That portion of Unit 39 south and east of Highway 21.

Hunt Area 40 — All of Unit 40.

Hunt Area 41 — That portion of Unit 41 east of State Highway 51.

Hunt Area 42 — That portion of Unit 41 west of State Highway 51 and all of Unit 42.

Hunt Area 44 — All of Unit 44 and that portion of Unit 45 within Camas Creek drainage.

Hunt Area 45 — All of Unit 45 except that portion within Camas Creek drainage.

Hunt Area 46-1 — All of Unit 46.

Hunt Area 46-2 — All of Units 46 and 54 and that portion of Unit 47 east of Salmon Falls Creek.

Hunt Area 47 — All of Unit 47.

Hunt Area 49 — All of Unit 49.

Hunt Area 50 — All of Unit 50.

Hunt Area 51 — All of Unit 51 and that portion of Unit 63 within Butte County including that portion of this hunting area within one-half mile inside the boundary of the Idaho National Engineering and Environmental Laboratory (INEEL) adjacent to agricultural lands.

Hunt Area 52 — All of Unit 52 and that portion of Unit 48 south of the Camp Creek - Croy Creek Road.

Hunt Area 52A — All of Units 52A and 53 (See Craters of the Moon closure, page 9).

Hunt Area 54 — All of Unit 54.

Hunt Area 58 — All of Unit 58 outside the Idaho National Engineering and Environmental Laboratory (INEEL) boundary.

Hunt Area 59 — All of Units 59 and 59A.

Hunt Area 60A — All of Units 60 and 60A, and that portion of Unit 61 west of Hotel Creek.

Hunt Area 61 — That portion of Unit 61 east of Hotel Creek.

Hunt Area 63-1 — That portion of Unit 63 south of State Highway 33, and including that portion of this hunt area within one-half mile inside the east boundary of the Idaho National Engineering and Environmental Laboratory (INEEL) and which is adjacent to agricultural lands.

Hunt Area 63-2 — That portion of Unit 63 north of State Highway 33 and including that portion of this hunt area within one-half mile inside the boundary of the Idaho National Engineering and Environmental Laboratory (INEEL) and which is adjacent to agricultural lands, EXCLUDING the Camas National Wildlife Refuge which is CLOSED.

Hunt Area 68 — All of Unit 68. (Caution: See Craters of the Moon closure, page 9.)



- **Applications**
- **Harvest Data**
- **Rules Booklets**
- **Fishing Reports**
- **Idaho Record Fish**
- **Idaho Big Game Records**
- **Latest Commission News**
- **Controlled Hunt Summaries**
- **Online License Purchases**
- **Online Controlled Hunt Applications**

... and much, much more!

Idaho Department of Fish and Game Web
Site: www2.state.id.us/fishgame
email: idfginfo@idfg.state.id.us

Submitted by:

Jon Rachael
Regional Wildlife Manager

Randy Smith
Regional Wildlife Manager

Carl Anderson
Regional Wildlife Manager

Daryl Meints
Regional Wildlife Manager

Tom Keegan
Regional Wildlife Manager


Approved by: IDAHO DEPARTMENT OF FISH AND GAME

Dale E. Towell
Wildlife Program Coordinator
Federal Aid Coordinator

James W. Unsworth, Chief
Bureau of Wildlife

IDAHO

GAME MANAGEMENT UNITS



FEDERAL AID IN WILDLIFE RESTORATION

The Federal Aid in Wildlife Restoration Program consists of funds from a 10% to 11% manufacturer's excise tax collected from the sale of handguns, sporting rifles, shotguns, ammunition, and archery equipment. The Federal Aid program then allots the funds back to states through a formula based on each state's geographic area and the number of paid hunting license holders in the state. The Idaho Department of Fish and Game uses the funds to help restore, conserve, manage, and enhance wild birds and mammals for the public benefit. These funds are also used to educate hunters to develop the skills, knowledge, and attitudes necessary to be responsible, ethical hunters. Seventy-five percent of the funds for this project are from Federal Aid. The other 25% comes from license-generated funds.

