

IDAHO DEPARTMENT OF FISH AND GAME

Cal Groen, Director

Project W-170-R-31

Progress Report



PRONGHORN

Study I, Job 7

July 1, 2006 to June 30, 2007

Prepared by:

Jon Rachael, Jake Powell..... Southwest Region
Randy Smith..... Magic Valley Region
Carl Anderson, Corey Class..... Southeast Region
Daryl Meints Upper Snake Region
Tom Keegan..... Salmon Region

Compiled and edited by: Brad Compton, State Big Game Manager

August 2007
Boise, Idaho



Findings in this report are preliminary in nature and not for publication without permission of the Director of the Idaho Department of Fish and Game.

The Idaho Department of Fish and Game adheres to all applicable state and federal laws and regulations related to discrimination on the basis of race, color, national origin, age, gender, or handicap. If you feel you have been discriminated against in any program, activity, or facility of the Idaho Department of Fish and Game, or if you desire further information, please write to: Idaho Department of Fish and Game, PO Box 25, Boise, ID 83707; or the Office of Human Resources, U.S. Fish and Wildlife Service, Department of the Interior, Washington, DC 20240.

This publication will be made available in alternative formats upon request. Please contact the Idaho Department of Fish and Game for assistance.

TABLE OF CONTENTS

STATEWIDE.....	1
SUMMARY	1
INTRODUCTION	1
SOUTHWEST REGION	7
ABSTRACT.....	7
GROUP 1	7
Management Units 32, 39, 40, 41, 42.....	7
GROUP 4.....	8
Management Unit 38.....	8
MAGIC VALLEY REGION	12
ABSTRACT.....	12
GROUP 2	12
Management Units 45, 46, 47, 49, 52, 52A, 53	12
GROUP 3	14
Management Unit 44.....	14
GROUP 4.....	14
Management Units 48, 54, 57	14
MAGIC VALLEY REGION MANAGEMENT	15
LITERATURE CITED	16
SOUTHEAST REGION	29
ABSTRACT.....	29
GROUP 2	29
Management Unit 68.....	29
LITERATURE CITED	30
UPPER SNAKE REGION.....	33
ABSTRACT.....	33
GROUP 2	33
Management Units 50, 51, 58, 59, 59A	33
GROUP 3	34
Management Units 60, 60A, 61, 63	34
LITERATURE CITED	36

TABLE OF CONTENTS (Continued)

SALMON REGION.....47
 ABSTRACT.....47
 GROUP 1.....48
 Management Units 28, 36B, 37 (Part).....48
 GROUP 2.....48
 Management Units 21A (Part), 29, 30, 36A, 37 (Part), 37A.....48
 GROUP 3.....48
 Management Unit 30A.....48
APPENDIX A.....59

LIST OF TABLES

STATEWIDE

Table 1. Pronghorn estimated harvest history in Idaho, 1935-present.4

SOUTHWEST REGION

Table 1. Pronghorn harvest, Group 1, Southwest Region, 1984-present.....9

MAGIC VALLEY REGION

Table 1. Pronghorn controlled hunt harvest, Magic Valley Region, Group 2, 1988-present.17
Table 2. Pronghorn archery harvest, Magic Valley Region, Group 2, 2001-present.20
Table 3. Pronghorn horn length for controlled hunts, Magic Valley Region, Group 2, 1991-present.....21
Table 4. Pronghorn controlled hunt harvest, Magic Valley Region, Group 3, 1987-present.24
Table 5. Hunter-harvested pronghorn horn length, Magic Valley Region, Group 3, 1991-present.....25
Table 6. Pronghorn controlled hunt harvest, Magic Valley Region, Group 4, 1996-present.26
Table 7. Hunter-harvested pronghorn horn length, Magic Valley Region, Group 4, 1996-present.....27
Table 8. Pronghorn controlled hunt harvest, Magic Valley Region, 1976-present.28

SOUTHEAST REGION

Table 1. Pronghorn harvest, Southeast Region, Group 2, 1982-present.....31

TABLE OF CONTENTS (Continued)

Table 2. Hunter-harvested pronghorn horn length, Southeast Region, Group 2, 1992-present.....	32
---	----

UPPER SNAKE REGION

Table 1. Pronghorn harvest, Upper Snake Region, 1977-present.....	37
Table 2. Pronghorn harvest, Upper Snake Region, Group 2, 1995-present.....	38
Table 3. Hunter-harvested pronghorn horn lengths, Upper Snake Region, Group 2, 1995-present.....	40
Table 4. Pronghorn surveys in Units 37/51 and 30A/58, Upper Snake Region, 1973-present.....	42
Table 5. Pronghorn surveys in Units 59/59A and 63, Upper Snake Region, 1974-present.....	43
Table 6. Pronghorn harvest, Upper Snake Region, Group 3, 1995-present.....	44
Table 7. Hunter-harvested pronghorn horn lengths, Upper Snake Region, Group 3, 1995-present.....	45
Table 8. Estimates of pronghorn on INL, Upper Snake Region, 1994-present.....	46

SALMON REGION

Table 1. Pronghorn controlled hunt harvest, Salmon Region, 1969-present.....	50
Table 2. Pronghorn controlled hunt harvest, Salmon Region, Group 1, 1993-present.....	51
Table 3. Hunter-harvested pronghorn horn length, Salmon Region, Group 1, 1993-present.....	52
Table 4. Pronghorn controlled hunt harvest, Salmon Region, Group 2, 1993-present.....	53
Table 5. Hunter-harvested pronghorn horn length, Salmon Region, Group 2, 1993-present.....	55
Table 6. Pronghorn controlled hunt harvest, Salmon Region, Group 3, 1993-present.....	57
Table 7. Hunter-harvested pronghorn horn length, Salmon Region, Group 3, 1993-present.....	58

LIST OF FIGURES

Figure 1. Pronghorn management groups in Idaho.....	3
---	---

**PROGRESS REPORT
SURVEYS AND INVENTORIES**

STATE:	<u>Idaho</u>	JOB TITLE:	<u>Pronghorn Surveys and</u>
PROJECT:	<u>W-170-R-31</u>		<u>Inventories</u>
SUBPROJECT:	<u>3-7</u>	STUDY NAME:	<u>Big Game Population Status,</u>
STUDY:	<u>1</u>		<u>Trends, Use, and Associated</u>
JOB:	<u>7</u>		<u>Habitat Studies</u>
PERIOD COVERED: <u>July 1, 2006 to June 30, 2007</u>			

STATEWIDE

Summary

A total of 14,479 hunters (13,803 resident hunters and 676 non-resident hunters) applied for 1,600 controlled pronghorn permits offered in 2006. There were 50 more permits offered in 2006 than in 2005. Thirty-one different controlled hunts were offered in Southwest, Magic Valley, Southeast, Upper Snake, and Salmon regions and generally ran from 25 September to 24 October. In addition, 1,584 hunters participated in general archery pronghorn seasons offered from 15 August through 15 September in 32 units. Forty permits were offered in 2006 for youth hunters (12-17 years of age) to take pronghorn.

An estimated 1,591 of the 1,600 (99%) controlled hunt permittees actually hunted pronghorn. Hunters harvested 1,096 pronghorn in 4,636 days of hunting. General season archery hunters harvested an estimated 380 pronghorn in 7,030 days of hunting.

Introduction

Most pronghorn populations in Idaho have densities that vary from low to moderate. In general, Idaho's pronghorn habitats do not support the levels which are characteristic of high-quality habitats in Wyoming and Montana. Low annual precipitation, poor range conditions, and conflicts with private landowners are probably important reasons for the differences. The Camas, Birch Creek, Medicine Lodge, Little Wood, Big Lost, and Little Lost valleys support herds at relatively high densities.

Hunter success in most years exceeds 70% in many controlled hunts. The proportion of bucks harvested in Idaho by permittees in either-sex pronghorn controlled hunts averaged 82% in 2005. A history of pronghorn harvest is presented in Table 1. The 2005 pronghorn season structure is presented in Appendix A.

When Idaho implemented the 1991-1995 Pronghorn Management Plan, the pronghorn management units were divided into 5 groups of units with similar attributes and hunting opportunities (Figure 1). Knowledge of the opportunities present in these units will allow hunters to select the type of area and hunting experience they prefer. The Department's

objective is to provide a variety of opportunities allowing hunters to match the setting and experience they desire. Variables used to classify units were hunting pressure, pronghorn density and herd composition, road density and condition, natural condition of the environment, and distance from major human population centers.

In units of Group 1, hunting pressure is light or dispersed and generally occurs in areas of high aesthetic appeal away from major human population centers. Roads often traverse rough terrain, are of poor quality, and are limited in number. Pronghorn numbers may be low or moderate, but the opportunity to harvest a mature buck is high. Management objectives for Group 1 hunts include: 1) maintain an average horn length of 12.0 inches in the firearm buck harvest, and 2) maintain a preseason buck:doe ratio of greater than 50:100.

Group 2 units can provide a full range of opportunities to hunters. Pronghorn numbers are moderate, supporting higher hunter densities, higher harvest, and higher success rates in many units. Doe/fawn pronghorn hunts are often offered in these units for population control. Within many of these units, opportunities exist to participate in Group 1 or Group 3 type hunts if desired. Management objectives for Group 2 hunts include: 1) maintain an average horn length of 12.0 inches in the firearm buck harvest, and 2) maintain a preseason buck:doe ratio of greater than 40:100.

In general, Group 3 units are characterized by variable hunter and pronghorn densities, high road densities, and motorized vehicle use. Availability of pronghorn bucks is limited. Private ownership of, and restricted access to, pronghorn habitat is high in most units and has resulted in depredation problems that often dictate hunting season structure and harvest levels. Management objectives for Group 3 hunts include: 1) maintain a preseason buck:doe ratio of greater than 40:100.

With the exception of Units 48 and 54, no hunts are offered in Group 4 and Group 5 units. Although pronghorn are present in units of Group 4, low population numbers and/or low production levels limit harvest opportunity at this time. Portions of Group 5 units were historically pronghorn habitat, but currently support few or no pronghorn.

ANTELOPE




Figure 1. Pronghorn management groups in Idaho.

Table 1. Pronghorn estimated harvest history in Idaho, 1935-present.

Season	Year	Hunters	Harvest	Success (%)	Days hunted	
Archery	1982	760	130	17	4,900	
	1983	400	100	33	2,600	
	1984	230	20	8	1,200	
	1985	300	40	14	1,600	
	1986	100	40	40	400	
	1987	600	200	33	3,300	
	1988	800	200	27	4,800	
	1989	340	60	18	2,400	
	1990	200	80	36	1,300	
	1991	170	80	28	900	
	1992	600	150	25	2,900	
	1993	550	80	15	3,000	
	1994	860	235	27	4,800	
	1995	790	135	17	4,100	
	1996	920	155	17	5,200	
	1997-99 ^a					
		2000	772	189	24	3,800
		2001	822	245	30	3,450
		2002	1,126	263	23	5,448
		2003	1,036	259	25	4,915
		2004	1,299	291	22	5,599
		2005	1,260	304	24	5,351
		2006	1,584	380	24	7,030
Controlled	1982	2,400	2,000	85	4,500	
	1983	2,900	2,300	76	6,400	
	1984	2,740	2,050	70	5,600	
	1985	2,900	2,150	73	5,900	
	1986	3,000	2,500	83	6,200	
	1987	2,900	2,400	77	6,300	
	1988	3,100	2,600	80	6,800	
	1989	2,900	2,240	72	6,900	
	1990	2,500	2,000	72	6,600	
	1991	3,600	2,870	75	9,600	
	1992	3,980	3,000	72	11,100	
	1993	3,740	2,390	60	11,500	
	1994	3,110	1,600	72	10,900	
	1995	2,170	1,360	63	6,500	
	1996	1,920	1,260	66	6,000	
	1997	2,128	1,305	61	7,200	
	1998	1,917	1,153	55	6,600	
1999	1,631	1,149	63	5,285		
2000	1,571	1,086	69	4,825		
2001	1,584	1,118	71	4,615		
2002	1,500	1,076	72	4,554		

Table 1. Continued.

Season	Year	Hunters	Harvest	Success (%)	Days hunted
	2003	1,379	989	72	4,338
	2004	1,453	963	66	4,542
	2005 ^b	1,592	1,104	69	4,859
	2006 ^b	1,591	1,096	69	4,636
Extra doe/fawn	1989	1,400	1,200	81	3,200
	1990	1,300	1,100	80	3,400
Total	1935		144		
	1936		124		
	1937				
	1938				
	1939				
	1940		400		
	1941				
	1942		700		
	1943				
	1944		1,470		
	1945		650		
	1946				
	1947		461		
	1948		419		
	1949		383		
	1950		539		
	1951		1,349		
	1952		1,520		
	1953		1,254		
	1954		970		
	1955		822		
	1956		919		
	1957		1,001		
	1958		821		
	1959		679		
	1960		701		
	1961		579		
	1962		549		
	1963		774		
	1964		839		
	1965		977		
	1966		1,219		
	1967		1,286		
	1968		1,294		
	1969		1,472		
	1970		1,551		
	1971		1,465		
	1972		1,486		

Table 1. Continued.

Season	Year	Hunters	Harvest	Success (%)	Days hunted
	1973		1,237		
	1974		1,301		
	1975		1,314		
	1976		1,380		
	1977		1,250		
	1978		1,345		
	1979		1,430		
	1980		1,498		
	1981		1,837		
	1982	3,160	2,130	67	9,400
	1983	3,300	2,400	73	9,000
	1984	2,970	2,070	70	6,800
	1985	3,200	2,190	68	7,500
	1986	3,100	2,540	82	6,600
	1987	3,500	2,600	74	9,600
	1988	3,900	2,800	72	11,600
	1989	4,640	3,540	75	12,500
	1990	4,000	3,180	79	11,300
	1991	3,770	2,950	78	10,500
	1992	4,600	3,150	68	13,000
	1993	4,290	2,470	58	14,500
	1994	3,110	1,835	59	10,900
	1995	2,960	1,495	51	10,600
	1996	2,780	1,410	51	11,200
	1997 ^a	2,128	1,305	61	7,200
	1998 ^a	1,917	1,153	55	6,600
	1999 ^a	1,631	1,149	63	5,285
	2000	2,343	1,275	54	8,625
	2001	2,406	1,363	57	8,065
	2002	2,626	1,339	51	10,002
	2003	2,415	1,248	52	9,253
	2004	2,752	1,254	46	10,141
	2005 ^b	2,852	1,408	49	10,210
	2006 ^b	3,054	1,476	48	11,666

^a Due to budget limitations, no survey was conducted to estimate number of pronghorn harvested by archery hunters during general season.

^b Controlled harvest information includes Super Hunts, Landowner Appreciation Permits, and depredation hunts.

**PROGRESS REPORT
SURVEYS AND INVENTORIES**

STATE:	<u>Idaho</u>	JOB TITLE:	<u>Pronghorn Surveys and</u>
PROJECT:	<u>W-170-R-31</u>		<u>Inventories</u>
SUBPROJECT:	<u>3</u>	STUDY NAME:	<u>Big Game Population Status,</u>
STUDY:	<u>1</u>		<u>Trends, Use, and Associated</u>
JOB:	<u>7</u>		<u>Habitat Studies</u>
PERIOD COVERED:	<u>July 1, 2006 to June 30, 2007</u>		

SOUTHWEST REGION

Abstract

Group 1 - A total of 475 permits were issued and 309 pronghorn were harvested in controlled hunts in 2006, including 15 pronghorn harvested by 38 landowner appreciation permit holders and 4 harvested by supertag holders. Hunter success averaged 65%. Average horn length met the minimum management objective of 12 inches in Units 32, 39, 40, 41, and 42.

An estimated 482 hunters harvested an estimated 162 antelope (34% success rate) during the 15 August-15 September general archery season in Units 40, 41, and 42.

Group 4 - No hunts or surveys took place in this area during the reporting period.

Group 1

Management Units 32, 39, 40, 41, 42

Population Surveys - An informal herd composition survey was made incidental to bighorn sheep surveys in Unit 42 during July 2006 in Big Springs Creek and Dickshooter Ridge. A total of 266 pronghorn were counted, including 131 does, 73 bucks, and 62 fawns. Buck:doe and fawn:doe ratios were 56:100 does and 47:100 does, respectively. However, due to survey location, buck numbers are likely inflated and fawn numbers understated in this survey.

Incidental observations of pronghorn during other activities suggest a static population.

Harvest - Based upon harvest reports, controlled hunt harvest increased from 277 pronghorn in 2005 to 309 in 2006 (Table 1) for a success rate of 65%. The muzzleloader hunt in Unit 41 had a success rate of 75% with a harvest of 33 pronghorn. Average horn length met the minimum management objective of 12 inches in Units 32 (avg. = 12.7 in, $n = 6$), 39 (avg. = 13.1 in, $n = 20$), 40 (avg. = 12.8 in, $n = 67$), 41 (avg. = 12.8 in, $n = 51$), and 42 (avg. = 12.9 in, $n = 100$).

An estimated 482 hunters hunted 1,895 days and harvested an estimated 162 antelope (34% success rate) during the 15 August-15 September general archery season in Units 40, 41, and 42.

Translocation - No translocations occurred in 2007.

Group 4

Management Unit 38

No hunts or surveys took place in this area during the reporting period.

Table 1. Pronghorn harvest, Group 1, Southwest Region, 1984-present.

Unit	Year ^a	Permits	Harvest			Male (%)	Success (%)
			Male	Female	Total		
32	2000	10	6	2	8	75	80
	2001	10	7	0	7	100	70
	2002	15	12	0	12	100	80
	2003	15	11	4	15	73	100
	2004	15	9	1	10	90	67
	2005	15	9	2	11	82	73
	2006	15	7	0	7	100	47
39	1996	10	8	1	9	89	90
	1997	10	9	0	9	100	90
	1998	10	10	0	10	100	100
	1999	10	8	1	9	89	90
	2000	20	16	1	17	94	85
	2001	20	17	0	17	100	85
	2002	50	41	2	43	95	86
	2003	28	22	2	24	92	86
	2004	28	21	1	22	95	79
	2005	28	25	0	25	100	89
40	2006	28	20	3	23	87	82
	1984	50	28	8	36	78	72
	1985	50	27	3	30	90	60
	1986	50	32	8	40	80	80
	1987	50	38	5	43	88	86
	1988	50	35	6	41	85	82
	1989	50	37	4	41	90	82
	1990	100	70	16	86	81	86
	1991	100	77	9	86	90	86
	1992	125	76	13	89	85	71
	1993	125	74	6	80	93	64
	1994	150	82	15	97	85	65
	1995	150	61	20	81	75	54
	1996	150	63	12	75	84	50
	1997	150	48	22	70	69	47
	1998	150	77	13	90	86	60
	1999	150	87	10	97	90	65
	2000	150	67	15	82	82	55
	2001	150	74	13	87	85	58
	2002	150	69	23	92	75	61
2003	154	73	12	85	86	55	
2004	164	81	16	97	84	59	
2005	163	81	6	87	93	53	
2006	165	77	14	91	85	55	

Table 1. Continued.

Unit	Year ^a	Permits	Harvest			Male (%)	Success (%)
			Male	Female	Total		
41	1984	10	4	1	5	80	50
	1985	10	5	0	5	100	50
	1986	15	6	0	6	100	40
	1987	15	5	0	5	100	33
	1988	15	10	3	13	77	87
	1989	15	4	1	5	80	33
	1990	25	12	0	12	100	48
	1991 ^b	25	10	2	12	83	48
	1992	25	9	1	10	90	40
	1993	25	5	1	6	83	24
	1994	25	6	0	6	100	24
	1995	25	4	3	7	57	28
	1996	25	7	0	7	100	28
	1997	25	5	0	5	100	20
	1998	25	7	0	7	100	28
	1999	25	11	1	12	92	48
	2000	40	12	0	12	100	30
	2001	40	15	3	18	83	45
	2002	40	12	1	13	92	33
	2003	41	12	2	14	86	34
	2004	40	16	0	16	100	40
	2005	39	18	2	20	90	51
	2006	40	26	5	31	84	78
	42	1984	55	22	2	24	92
1985		55	18	1	19	95	35
1986		75	35	7	42	83	56
1987		75	32	4	36	89	48
1988		75	47	2	49	96	65
1989		75	49	2	51	96	68
1990		100	48	15	63	76	63
1991		100	82	4	86	95	86
1992		125	82	15	97	85	78
1993		125	82	6	88	93	70
1994		200	107	23	130	82	65
1995		200	131	0	131	100	66
1996		200	121	16	137	88	69
1997		200	110	15	125	88	63
1998		200	93	5	98	95	49
1999		200	100	23	123	81	62
2000	200	95	16	111	86	56	
2001	200	106	22	128	83	64	
2002	200	103	16	119	87	60	

Table 1. Continued.

Unit	Year ^a	Permits	Harvest			Male (%)	Success (%)
			Male	Female	Total		
	2003	203	104	12	116	90	57
	2004	209	93	14	107	87	51
	2005	210	115	10	125	92	60
	2006	220	141	10	151	93	69

^a Data from 2003 and later includes Landowner Appreciation Hunt permits and harvest.

^b Muzzleloader only.

**PROGRESS REPORT
SURVEYS AND INVENTORIES**

STATE:	<u>Idaho</u>	JOB TITLE:	<u>Pronghorn Surveys and</u>
PROJECT:	<u>W-170-R-31</u>		<u>Inventories</u>
SUBPROJECT:	<u>4</u>	STUDY NAME:	<u>Big Game Population Status,</u>
STUDY:	<u>I</u>		<u>Trends, Use, and Associated</u>
JOB:	<u>7</u>		<u>Habitat Studies</u>
PERIOD COVERED:	<u>July 1, 2006 to June 30, 2007</u>		

MAGIC VALLEY REGION

Abstract

Group 2 - In recent years, pronghorn populations have remained relatively stable in Units 49 and 52, declined slightly in Units 46 and 47, and remained low in Units 53 and 52A. Hunting opportunity has been substantially curtailed since 1994 to encourage population growth and meet management objectives. Permit levels in 2006 were only 49% of 1993 levels. Observed reproductive performance in August 2006 was slightly higher than the long-term average in Unit 46 (0.50 fawns:doe) and substantially lower than the long-term average in Unit 49 (0.80 fawns:doe). Mean horn lengths of harvested bucks have been consistently below the 12-inch minimum objective only in Unit 49. Observed buck ratios from 1991-2005 have averaged 0.32 and 0.38 bucks:doe in Units 49 and 46/47, respectively.

Group 3 - Fawn production measured during August surveys averaged 0.87 fawns:doe from 1996-2004, the highest in the region. In August 2006, the observed ratio was 0.78 fawns:doe. The population is currently estimated at approximately 350 head; doe-fawn permits will be reduced during the 2007 hunting season to halt the perceived decline that has occurred over the past 2-3 years. A ratio of 0.67 bucks:doe was observed in August 2006, exceeding the management objective of 0.40 bucks:doe.

Group 4 - Units 54 and 57 have relatively low numbers of pronghorn and have been managed for quality opportunity. From 1996-2006, 178 hunters in Unit 54 have harvested 157 pronghorn with a mean maximum horn length of 13.7 inches. The hunt in Unit 57 was discontinued in 2002 because of low numbers.

Group 2

Management Units 45, 46, 47, 49, 52, 52A, 53

Management - Pronghorn populations in Group 2 units have fluctuated widely during the past 25 years. After declining to low levels in the early 1980s, pronghorn populations increased to relatively high levels in the late 1980s and early 1990s before declining again in 1993.

Successive years of drought followed by severe conditions during the 1992-1993 winter resulted in population declines estimated at 30-50%.

Following the 1993 decline, hunts and permit levels were adjusted to encourage population recovery. Hunting seasons were eliminated in Units 45, 52, and 52A, and doe-fawn hunts were eliminated in all units except Unit 46. Since 1994, pronghorn populations have increased moderately in Units 45, 49, 52, and 52A, and hunts have been restored in all units. Pronghorn numbers in Units 46 and 47 have declined since 1994, and numbers have remained low in Unit 53.

Harvest - Overall, the number of permits offered in Group 2 units in 2006 (340) was only 49% of 1993 levels (695). For all hunts combined, 249 hunters harvested 172 pronghorn (141 bucks, 29 does or fawns, and 2 unreported). Hunter success in any-pronghorn hunts in 2006 ranged from 29% in the Unit 47 muzzleloader hunt to 90% in Unit 52 and averaged 74% for all either-sex hunts combined (Table 1). The popular youth-only hunt in Unit 52 was continued for the seventh year. Twenty of 24 youth hunters who participated harvested a pronghorn.

The number of bowhunters pursuing pronghorn in Group 2 units has increased from 285 hunters in 2002 to 467 in 2006. Bowhunters harvested an estimated 117 pronghorn (84% bucks) in 2006 for an overall success rate of 25%. Bowhunter success was 23% in 2003, 24% in 2004, and 25% in 2005. Fifty-three percent of the archery harvest was from Unit 46, where bowhunters take as many pronghorn as rifle hunters (Table 2).

One of the goals in the 1991-1995 Pronghorn Management Plan is to maintain a minimum mean horn length of 12 inches for firearm hunts. Horn lengths reported in 2006 were below the 12-inch objective in all units except Unit 52A. Only in Unit 49 has mean horn length consistently been below objective (Table 3). Buck permits will be reduced in Units 52 and 49 for the 2007 hunting season in an attempt to increase the average horn length in these units.

Population Surveys - Sex and age composition data are collected annually on ground surveys during August in Units 46, 47, and 49. In Units 46/47, the observed ratio of 0.64 fawns:doe is slightly higher than the 1982-2005 mean of 0.50 fawns:doe. In Unit 49, the observed ratio of 0.63 fawns:doe was substantially lower than the 1976-2005 mean of 0.80 fawns:doe.

An objective in the 1991-1995 plan is to maintain an August ratio of 0.40 bucks:doe. From 1991-2005, observed August buck to doe ratios have averaged 0.38 bucks:doe in Units 46/47 and 0.32 bucks:doe in Unit 49. In 2006, the observed buck:doe ratio was below objective in both areas; observed ratios were 0.34 bucks:doe in Units 46/47 and 0.13 bucks:doe in Unit 49.

No depredation complaints were received during the 2006-2007 reporting period.

Group 3

Management Unit 44

Management - Unit 44 is the only Group 3 unit in Magic Valley Region. Pronghorn on the Camas Prairie (Unit 44, the Camas Creek drainage in Unit 45, and the northwest corner of Unit 52) are migratory and subsidized by agriculture, primarily alfalfa. During the late 1970s to mid-1980s, depredation complaints on Camas Prairie were common, and the management objective was to maintain the pronghorn population below 100 head. However, depredation complaints have been minimal during the past 15 years, indicating an increased landowner tolerance for pronghorn use of private lands. However, these pronghorn migrate to winter range north of Bliss, where the habitat is in generally poor condition. This negatively influences reproduction and horn growth, and may contribute to an apparent decline in this population over the past 2-3 years. Currently, the summer population on the Camas Prairie is approximately 350 individuals.

Harvest - Camas Prairie pronghorns suffered high losses during the 1992-1993 winter. Doe-fawn hunting was curtailed from 1994-1998 to encourage population growth. Since 1999, doe-fawn seasons have been authorized to control the population and minimize depredations. In 2006, 50 permits were maintained in the any-pronghorn hunt and 100 permits were authorized in the doe-fawn hunt. Since 1999, hunter success in the 2 hunts combined has averaged 75% (Table 4). The minimum mean horn length reported by hunters in 2006 was 10.7 inches. From 1991-2006, mean horn length met the 12-inch plan objective in 7 years (Table 5).

Population Surveys - The Camas Prairie pronghorn population typically exhibits high August fawn:doe ratios, presumably a function of their high nutritional status from use of agricultural lands. From 1999-2005, observed ratios have averaged 0.87 fawns:doe, higher than any other pronghorn population in Magic Valley Region. In 2006, the observed fawn:doe ratio was 0.78; still high, despite being lower than the previous 6 years' average. The observed ratio of 0.67 bucks:doe exceeds the objective of 0.40 bucks:doe. From 1999-2005, observed ratios averaged 0.61 bucks:doe. During 2005 and 2006 surveys, the numbers of pronghorn observed on August herd composition surveys declined by approximately 50%. Although previously estimated at 500 individuals, presently the population is believed to be at 300-350 head.

No depredation complaints were received during the 2006-2007 reporting period.

Group 4

Management Units 48, 54, 57

Management - In 1989, the Department transplanted 29 pronghorn from the Mud Lake area (Unit 63) to the Shoshone Basin area of Unit 54. In addition, the Nevada Division of Wildlife released pronghorn east of Jackpot, Nevada, near Shoshone Basin in the late 1980s. This interstate population has increased and provides hunting opportunity in Idaho and Nevada.

Harvest - A small controlled hunt has been authorized in Unit 54 since 1996. From 1996-2006, 178 hunters harvested 157 pronghorn and horn lengths have averaged 13.7 inches (Tables 6 and 7).

Population Surveys - In Unit 54, no formal population surveys were conducted. Casual observations by hunters and agency personnel indicate the population has expanded its distribution north of Shoshone Basin to include the area around Nat-Soo-Pah and the foothill areas adjacent to Rock Creek. Pronghorn have been observed as far east as Big Cottonwood Wildlife Management Area and are also commonly observed in the cultivated lands near Hub Butte.

In Unit 57, the resident pronghorn population has remained relatively low. A standardized ground survey is conducted annually in September to help monitor herd numbers; however, the survey was not completed in 2006. In 2005, 44 pronghorn were counted. Results from past surveys are 12 pronghorn in 2004, 65 in 2003, 27 in 2002, and 66 in 2001. A hunt with 5 permits was authorized from 1996-2001 to allow some opportunity to harvest the mature bucks this small population supports. The hunt was discontinued in 2002 because of low pronghorn numbers.

Pronghorn numbers in Unit 48 have increased in recent years, allowing this unit to be included in Hunt Area 52.

No depredation complaints were received in Units 54 or 57 during the reporting period.

Magic Valley Region Management

From 1987-1992, pronghorn populations in Magic Valley Region increased due to a series of mild winters and improved summer-fall habitat in some units. Hunting opportunity was increased substantially during this period and summer depredation problems were common. Both permit levels and harvest increased more than 500% from 1984 to 1992 (Table 8). The combined effects of drought and the harsh conditions of the 1992-1993 winter resulted in a substantial decline in pronghorn numbers region-wide, although populations south of Snake River did not experience the magnitude of decline that occurred in units in the northern portion of the region. Following the 1993 decline, pronghorn numbers increased in the Camas Prairie area through 2004. However, 2005 and 2006 surveys indicated a possible population decline; 2007 permits were adjusted downward in response, and this population will continue to be monitored closely. Since the 1993 decline, pronghorn numbers have remained low in Units 52A and 53 and have declined slightly in Units 46 and 47. The small pronghorn population in Unit 54 is expanding its distribution north and east and will continue to be managed to provide quality hunting opportunity.

There is a high demand for pronghorn hunting in the region as evidenced by the difficult drawing odds for permits. There were 3,417 first-choice applicants for the 315 permits offered in the region for any-pronghorn rifle hunts in 2006 (9% drawing odds).

During the past 20 years, fires have removed more than a million acres of sagebrush-dominated habitat in Magic Valley Region. While these fires may have improved spring, summer, and fall pronghorn habitat in some areas, there have been long-term negative effects on winter range and fawning habitat. These fires will likely hinder recovery of pronghorn populations in Units 46, 47, 49, and 52A to the high levels of the late 1980s and early 1990s.

During the 2005-2006 reporting period, a graduate student research project was completed that investigated survey techniques and the influence of spring-summer nutrition on reproduction performance. The results of this effort are reported in Smyser et al. (2005).

Literature Cited

Smyser, T. J, E. O. Garton, and P. Zager. 2005. The influence of habitat variables on pronghorn recruitment: Completion report. Idaho Department of Fish and Game, Boise, USA.

Table 1. Pronghorn controlled hunt harvest, Magic Valley Region, Group 2, 1988-present.

Hunt area	Year	Permits	Harvest ^a			Male (%)	Success (%)
			Male	Female	Total		
45 ^b	1988	30	22	2	24	92	80
	1989	50	13	13	26	50	52
	1990	50	23	15	38	61	76
	1991	50	18	18	36	50	72
	1992	50	13	9	22	59	44
	1993	50	6	13	19	32	38
	2001	10	7	1	8	88	80
	2002	10	7	0	7	100	70
	2003	9	9	0	9	100	100
	2004	9	8	0	8	100	89
	2005	10	8	0	8	100	80
	2006	13	5	0	5	100	38
	46	1988	50	40	4	44	91
1989		75	60	5	65	92	87
1990		75	33	20	53	62	71
1991		100	35	43	78	45	78
1992		160	53	69	122	43	76
1993		160	48	58	106	45	66
1994		110	48	38	86	56	78
1995		110	45	31	76	59	69
1996		160	34	54	88	39	55
1997		160	45	47	92	49	58
1998		160	47	55	102	46	64
1999		110	53	37	90	59	82
2000		110	28	35	63	44	57
2001		82	42	20	62	68	76
2002		77	30	23	53	57	69
2003		78	43	20	63	68	81
2004	81	46	23	69	67	85	
2005	61	46	2	48	96	79	
2006	67	39	6	46	85	69	
47	1988	20	3	2	5	60	25
	1989	20	4	1	5	80	25
	1990	40	8	1	9	89	23
	1991	40	12	5	17	71	43
	1992	40	11	1	12	92	30
	1993	40	14	3	17	82	43
	1994	40	9	2	11	82	28
	1995	40	9	4	13	69	33
	1996	40	10	0	10	100	25
	1997	40	9	1	10	90	25
	1998	40	10	1	11	91	28
1999	40	12	4	16	75	40	

Table 1. Continued.

Hunt area	Year	Permits	Harvest ^a			Male (%)	Success (%)
			Male	Female	Total		
49	2000	40	11	1	12	92	30
	2001	65	13	0	13	100	20
	2002	32	8	4	12	67	38
	2003	37	12	3	15	80	41
	2004	64	19	6	25	76	39
	2005	74	11	2	13	85	18
	2006	75	21	4	25	84	33
	1988	110	83	13	96	86	87
	1989	110	70	13	83	84	75
	1990	150	84	30	114	74	76
	1991	150	86	33	119	72	79
	1992	175	108	18	126	86	72
	1993	175	72	45	117	62	67
	1994	100	41	26	67	61	67
	1995	100	49	17	66	74	66
	1996	50	30	3	33	91	66
	1997	50	39	7	46	85	92
	1998	50	36	6	42	86	84
	1999	50	27	14	41	66	82
	52 ^c	2000	50	28	8	36	78
2001		50	31	15	46	67	92
2002		46	30	7	37	81	80
2003		45	34	4	38	89	84
2004		45	33	8	41	80	91
2005		50	31	5	36	86	73
2006		55	33	9	42	79	76
1988		30	22	4	26	85	87
1989		30	16	3	19	84	63
1990		30	20	3	23	87	77
1991		30	22	3	25	88	83
1992		30	15	8	23	65	77
1993		30	7	8	15	47	50
1994		15	12	0	12	100	80
1995		15	9	1	10	90	67
1999		10	8	0	8	100	80
2000		20	13	1	14	93	70
2001		25	12	2	14	86	56
2002		24	20	2	22	91	92
2003		17	13	0	13	100	76
2004	39	26	2	28	93	72	
2005	45	31	2	33	94	73	
2006	45	35	3	38	92	84	

Table 1. Continued.

Hunt area	Year	Permits	Harvest ^a			Male (%)	Success (%)	
			Male	Female	Total			
52A ^d	1988	30	19	6	25	76	83	
	1989	60	39	8	47	83	78	
	1990	60	40	8	48	83	80	
	1991	60	44	4	48	92	80	
	1992	150	58	63	121	48	81	
	1993	150	17	13	30	57	20	
	1994	25	8	2	10	80	40	
	1995	25	6	1	7	86	28	
	2000	20	14	1	15	93	75	
	2001	23	14	3	17	82	74	
	2002	19	2	2	4	50	21	
	2003	20	14	2	16	88	80	
	2004	22	9	1	10	90	45	
	2005	25	19	1	20	95	80	
	2006	28	11	4	15	73	54	
	53 ^e	1988	30	27	3	30	90	100
		1989	50	35	5	40	88	80
1990		50	38	9	47	81	94	
1991		80	27	23	50	54	63	
1992		90	30	32	62	48	69	
1993		90	14	18	32	44	36	
1994		30	11	3	14	79	47	
1995		30	15	1	16	94	53	
1996		30	10	4	14	71	47	
1997		30	8	4	12	67	40	
1998		30	8	4	12	67	40	
1999		30	14	6	20	70	67	
2000		30	5	1	6	83	20	

^a Prior to 2006, harvest does not include landowner appreciation permits/harvest.

^b Hunt Area 45 was closed from 1994-2000.

^c Hunt Area 52 was closed from 1996-1998.

^d Hunt Area 52A was closed from 1996-1999.

^e Hunt Area 53 was closed in 2001 and added to Hunt Area 52A in 2002.

Table 2. Pronghorn archery harvest, Magic Valley Region, Group 2, 2001-present.

Hunt area	Year	Hunters	Harvest			Male (%)	Success (%)
			Male	Female	Total		
45	2001	36	7	1	8	88	22
	2002	45	12	0	12	100	27
	2003	70	9	1	10	90	14
	2004	100	15	5	20	75	20
	2005	82	18	2	20	90	25
	2006	92	16	2	18	89	20
46	2001	95	28	9	37	76	39
	2002	121	35	5	40	88	33
	2003	145	37	13	50	74	34
	2004	148	46	11	57	81	39
	2005	125	34	11	45	76	26
	2006	178	50	11	62	81	35
47	2001	19	2	2	4	50	21
	2002	26	6	0	6	100	23
	2003	29	0	1	1	0	3
	2004	17	2	0	2	100	12
	2005	23	4	1	5	80	22
	2006	37	11	0	11	100	30
49	2001	41	11	3	14	79	34
	2002	67	5	1	6	83	9
	2003	61	7	4	11	64	18
	2004	60	9	1	10	90	17
	2005	50	7	3	10	70	20
	2006	63	5	0	5	100	8
52	2004	23	0	0	0	0	0
	2005	36	3	3	6	50	17
	2006	67	9	2	11	82	16
52A	2001	18	5	0	5	100	28
	2002	18	1	1	2	50	11
	2003	21	4	0	4	100	19
	2004	30	2	2	4	50	13
	2005	6	0	0	0	0	0
	2006	9	1	1	2	50	22
53	2002	7	0	0	0	0	0
	2003	11	0	0	0	0	0
	2004	8	1	0	1	100	13
	2005	6	0	0	0	0	0
	2006	21	6	1	8	75	39

Table 3. Pronghorn horn length for controlled hunts, Magic Valley Region, Group 2, 1991-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
45 ^a	1991	20	4	12.9
	1992	20	8	12.7
	1993	20	6	12.9
	2001	10	7	12.5
	2002	10	7	12.3
	2003	10	9	13.1
	2004	10	8	12.8
	2005	10	8	12.7
	2006	10	5	10.4
	46	1991	50	30
1992		60	24	12.2
1993		60	20	12.0
1994		60	38	12.2
1995		60	41	11.4
1996		60	18	11.4
1997		60	31	13.1
1998		60	29	13.5
1999		60	53	12.3
2000		60	24	13.4
2001		60	42	11.5
2002		60	35	12.5
2003		60	32	12.4
2004		60	44	10.9
2005		61	46	12.7
2006		61	38	11.8
47		1991	40	9
	1992	40	3	12.2
	1993	40	6	12.6
	1994	40	8	11.4
	1995	40	8	12.6
	1996	40	6	6.5
	1997	40	6	11.5
	1998	40	8	12.3
	1999	40	12	10.9
	2000	40	9	15.2
	2001	65	13	11.4
	2002	40	8	11.5
	2003	40	12	11.0
	2004	40	18	9.5
	2005	74	11	12.3
	2006	75	34	11.3

Table 3. Continued.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)	
49	1991	150	43	11.2	
	1992	175	47	12.0	
	1993	175	29	11.3	
	1994	100	35	12.5	
	1995	100	43	10.0	
	1996	50	21	9.9	
	1997	50	30	10.8	
	1998	50	27	11.0	
	1999	50	27	11.4	
	2000	50	23	13.4	
	2001	50	31	10.8	
	2002	50	30	11.5	
	2003	50	32	9.9	
	2004	50	32	11.0	
	2005	50	31	10.9	
	52 ^b	2006	50	33	11.2
1991		30	11	12.7	
1992		15	5	10.4	
1993		15	2	13.0	
1994		15	9	12.0	
1995		15	7	12.0	
1999		10	8	12.3	
2000		20	13	11.6	
2001		25	12	12.5	
2002		25	22	11.4	
2003		45	31	12.4	
2004		45	26	10.0	
2005		45	31	12.0	
2006		20	18	11.2	
52A ^c		1991	60	20	13.2
		1992	75	26	11.6
	1993	75	8	10.9	
	1994	25	6	13.8	
	1995	25	5	10.6	
	2000	20	11	12.4	
	2001	25	14	10.7	
	2002	25	2	11.5	
	2003	45	31	12.5	
	2004	25	9	10.8	
	2005	25	19	12.0	
	2006	25	10	13.0	

Table 3. Continued.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
53 ^d	1991	50	13	11.7
	1992	30	13	11.5
	1993	30	5	12.5
	1994	30	8	14.0
	1995	30	14	11.1
	1996	30	7	10.6
	1997	30	6	10.6
	1998	30	7	10.7
	1999	30	14	11.4
	2000	30	4	12.5

^a Hunt Area 45 was closed from 1994-2000.

^b Hunt Area 52 was closed from 1996-1998.

^c Hunt Area 52A was closed from 1996-1999.

^d Hunt Area 53 was closed in 2001 and added to Hunt Area 52A in 2002.

Table 4. Pronghorn controlled hunt harvest, Magic Valley Region, Group 3, 1987-present.

Hunt area	Year	Permits	Harvest ^a			Male (%)	Success (%)
			Male	Female	Total		
44	1987	20	20	0	20	100	100
	1988	20	15	2	17	88	85
	1989	30	11	16	27	41	90
	1990	30	8	15	23	35	77
	1991	30	13	13	26	50	87
	1992	50	18	24	42	43	84
	1993	50	16	17	33	48	66
	1994	20	15	1	16	94	80
	1995	20	14	1	15	93	75
	1996	20	17	1	18	94	90
	1997	20	17	3	20	85	100
	1998	40	34	2	36	94	90
	1999	80	32	32	64	50	80
	2000	120	27	50	77	35	64
	2001	120	35	59	94	37	78
	2002	123	29	76	105	28	85
	2003	126	25	75	100	25	79
	2004	134	39	52	91	43	68
	2005	149	34	66	100	34	71
	2006	165	46	66	112	42	68

^a Prior to 2006, harvest does not include landowner appreciation permits/harvest.

Table 5. Hunter-harvested pronghorn horn length, Magic Valley Region, Group 3, 1991-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
44	1991	10	5	13.2
	1992	20	6	11.0
	1993	20	6	13.1
	1994	20	12	10.3
	1995	20	12	11.5
	1996	20	11	10.1
	1997	20	12	10.5
	1998	40	22	12.2
	1999	40	31	10.7
	2000	40	24	11.9
	2001	40	35	13.2
	2002	40	29	11.9
	2003	40	25	12.4
	2004	50	38	10.7
	2005	50	34	11.6
	2006	50	40	10.7

Table 6. Pronghorn controlled hunt harvest, Magic Valley Region, Group 4, 1996-present.

Hunt area	Year	Permits	Harvest ^a			Male (%)	Success (%)
			Male	Female	Total		
54	1996	10	9	0	9	100	90
	1997	10	10	0	10	100	100
	1998	10	9	0	9	100	90
	1999	10	9	0	9	100	90
	2000	10	9	0	9	100	90
	2001	15	8	2	10	80	67
	2002	22	19	1	20	95	91
	2003	21	18	1	19	95	90
	2004	23	18	1	19	95	83
	2005	25	22	0	22	100	88
	2006	28	23	0	23	100	82
57 ^b	1996	5	4	0	4	100	80
	1997	5	5	0	5	100	100
	1998	5	3	0	3	100	60
	1999	5	4	0	4	100	80
	2000	5	5	0	5	100	100
	2001	5	2	0	2	100	40

^a Prior to 2006, harvest does not include landowner appreciation permits/harvest.

^b Hunt Area 57 was closed in 2002 due to low pronghorn numbers.

Table 7. Hunter-harvested pronghorn horn length, Magic Valley Region, Group 4, 1996-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
54	1996	10	9	13.9
	1997	10	5	14.7
	1998	10	6	14.7
	1999	10	9	13.6
	2000	10	9	14.8
	2001	15	8	13.1
	2002	25	19	13.2
	2003	25	17	14.3
	2004	25	18	13.4
	2005	25	22	13.2
	2006	28	21	13.6
57 ^a	1996	5	3	16.0
	1997	5	5	12.2
	1998	5	2	14.5
	1999	5	4	14.7
	2000	5	5	11.7
	2001	5	2	13.8

^a Hunt Area 57 was closed in 2002 due to low pronghorn numbers.

Table 8. Pronghorn controlled hunt harvest, Magic Valley Region, 1976-present.

Year	Permits available	Harvest ^a			Male (%)	Success (%)
		Male	Female	Total		
1976	120	55	19	74	74	62
1977	120	69	8	77	90	64
1978	100	65	18	83	78	83
1979	110	73	16	89	82	81
1980	160	87	35	120	73	75
1981	216	111	69	180	62	83
1982	120	84	27	111	76	92
1983	115	92	11	103	89	90
1984	120	81	5	86	94	72
1985	160	91	43	134	68	84
1986	190	118	28	146	81	77
1987	240	166	39	205	81	85
1988	320	231	36	267	87	83
1989	415	251	66	317	79	76
1990	485	254	101	355	72	73
1991	540	257	142	399	64	74
1992	745	306	224	530	58	71
1993	745	194	175	369	53	50
1994	310	144	72	216	67	70
1995	340	147	56	203	72	60
1996	315	114	62	176	65	56
1997	315	133	62	195	68	62
1998	335	147	68	215	68	64
1999	335	158	93	251	63	75
2000	445	140	100	240	58	54
2001	420	164	92	256	64	61
2002	400	122	115	237	51	59
2003	420	185	108	293	63	70
2004	465	197	96	293	67	63
2005	465	202	94	296	68	64
2006	476	213	92	306	70	64

^a Prior to 2006, harvest does not include landowner appreciation permits/harvest.

**PROGRESS REPORT
SURVEYS AND INVENTORIES**

STATE:	<u>Idaho</u>	JOB TITLE:	<u>Pronghorn Surveys and</u>
PROJECT:	<u>W-170-R-31</u>		<u>Inventories</u>
SUBPROJECT:	<u>5</u>	STUDY NAME:	<u>Big Game Population Status,</u>
STUDY:	<u>1</u>		<u>Trends, Use, and Associated</u>
JOB:	<u>7</u>		<u>Habitat Studies</u>
PERIOD COVERED: <u>July 1, 2006 to June 30, 2007</u>			

SOUTHEAST REGION

Abstract

Group 2 - Fifty any-pronghorn permits were issued for Unit 68 in 2006. Sixty percent of hunters in the controlled hunt reported harvesting a pronghorn, slightly less than the success rate in 2005. Four females and 25 male pronghorn were harvested. Harvested males had an average maximum horn length of 12.8 inches. Archery hunters (44) reported taking 12 pronghorn. Population information is limited for the unit because of low density and wide dispersion.

Group 2

Management Unit 68

Harvest - The Unit 68 any-pronghorn permit level (50) remained the same in 2006 as in 2005 (Table 1). Hunter report cards were used to estimate harvest, participation, and horn length. Hunter success was 60% in 2006, a slight increase from 2005. All 50 permits were issued.

Forty-four archery hunters reported hunting an average of 3.8 days per hunter and harvesting 12 pronghorn (12 male).

Mean maximum horn length for the 2006 harvest was 12.8 inches (Table 2), meeting the 12.0-inch objective established in the 1991-1995 Pronghorn Management Plan.

Population Surveys - In the past, little population data has been available on size and trend of this pronghorn herd. Subjective observations by Department personnel and other observers suggest the population increased from the most recent low reached during spring 1993 through 2001; however, significant losses may have occurred during winter 2001-2002.

Approximately 70-80 pronghorn are believed to have crossed American Falls reservoir on the ice during the 2001-2002 winter to the vicinity of the Pocatello Regional Airport. Extensive efforts to haze the animals away from the airport were only partially effective. Observed numbers declined to around 15 by winter 2002. A fencing project to exclude wildlife from the airport property was undertaken in spring 2004.

Past estimates of the pronghorn population on the Big Desert have been obtained through fixed-wing surveys using line-transect methodology based on Burnham et al. (1980) and modified by Johnson and Lindzey (1990). Line-transect surveys in Unit 68 were flown in autumn 1987 and in spring 1988, 1990, and 1991.

Population estimates calculated for the Big Desert have varied greatly. Confidence limits for the population estimates have been unacceptably wide due to the low density of pronghorn in the area and their unpredictable distribution.

The application of line-transect surveys and use of the TRANSECT II program for pronghorn in areas that have low level, dispersed populations such as the Big Desert has definite limitations (Laake et al. 1979, White 1986). The technique can still provide a systematic method to survey pronghorn over large areas; however, the inability to increase sample sizes easily and cost-efficiently prevents generation of population estimates with acceptable confidence limits.

An aerial survey for pronghorn was conducted during August 1999 within Unit 68. The intent of the survey was to collect distribution and minimum known count data for pronghorn. Strip transects, each 1,500 m, were flown north-south across the unit. A total of 7.5 hours of flight time was used. Six groups of pronghorn were located with a total count of 64.

Trapping and Transplanting - In December 2004, Southeast Region assisted Utah Division of Wildlife Resources in capturing 56 pronghorn near Torrey, Utah. These animals were transported to Unit 68 in Southeast Region for release. The 56 pronghorn transferred were composed of 36 adults (16 male, 19 female), 6 yearlings (3 male, 3 female), and 14 fawns (6 male, 8 female). Ten of 56 pronghorn released were fitted with radio collars; currently, 7 of 10 are still alive.

Literature Cited

- Burnham, K. P., D. R. Anderson, and J. L. Laake. 1980. Estimation of density from line transect sampling of biological populations. *Wildlife Monographs* 72:1-202.
- Johnson, B., and F. Lindzey. 1990. Guidelines for estimating pronghorn numbers using line transects. Wyoming Game and Fish Department, Cheyenne, USA.
- Laake, J. L., K. P. Burnham, and D. R. Anderson. 1979. User's manual for Program TRANSECT. Utah State University Press, Logan, USA.
- White, G. C. 1986. Program TRANSECT II. Colorado State University, Fort Collins, USA.

Table 1. Pronghorn controlled hunt harvest, Southeast Region, Group 2, 1982-present.

Hunt area	Year	Permits	Harvest ^a			% Male	% Success
			Male	Female	Total		
68	1982	50	36	5	41	88	82
	1983	50	32	16	48	67	96
	1984	50	37	3	40	93	80
	1985	50	35	7	42	83	84
	1986	50	44	4	48	92	96
	1987	75	59	10	69	86	92
	1988	75	59	3	62	95	83
	1989	350	72	214	286	25	82
	1990	225	58	101	159	36	71
	1991	300	82	84	166	49	55
	1992	300	73	65	138	53	46
	1993	100	29	6	35	83	35
	1994	50	16	3	19	84	38
	1995	50	16	4	20	80	40
	1996	50	17	5	22	77	44
	1997	50	19	0	19	100	38
	1998	50	19	1	20	95	40
	1999	50	22	1	23	96	46
	2000	50	29	4	33	88	66
	2001	50	30	5	35	86	70
	2002	50	25	9	34	74	68
	2003	50	29	5	34	85	68
	2004	50	24	4	28	86	61
	2005	50	38	1	39	97	79
	2006	55	27	3	30	90	55

^a Prior to 2006, harvest does not include landowner appreciation permits/harvest.

Table 2. Hunter-harvested pronghorn horn length, Southeast Region, Group 2, 1992-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
68	1992	100	30	12.4
	1993	100	12	11.8
	1994	50	12	13.7
	1995	50	13	12.3
	1996	50	10	10.8
	1997	50	12	12.3
	1998	50	14	12.4
	1999	50	20	12.8
	2000	50		11.5
	2001	50		12.6
	2002	50		11.1
	2003	50	27	10.9
	2004	50	24	12.2
	2005	50	38	12.8
	2006	50	25	12.8

**PROGRESS REPORT
SURVEYS AND INVENTORIES**

STATE:	<u>Idaho</u>	JOB TITLE:	<u>Pronghorn Surveys and</u>
PROJECT:	<u>W-170-R-31</u>		<u>Inventories</u>
SUBPROJECT:	<u>6</u>	STUDY NAME:	<u>Big Game Population Status,</u>
STUDY:	<u>1</u>		<u>Trends, Use, and Associated</u>
JOB:	<u>7</u>		<u>Habitat Studies</u>
PERIOD COVERED:	<u>July 1, 2006 to June 30, 2007</u>		

UPPER SNAKE REGION

Abstract

Controlled hunt permit numbers remained the same (425) for all hunt areas in 2006 (Table 1). Estimated pronghorn harvest in 2006 (292) was similar to 2003, 2004, and 2005 for the Upper Snake Region. These estimates do not include landowner appreciation or Access Yes super hunt permits or general archery harvest.

Group 2 - No composition or population survey was conducted in Group 2 units during this reporting period. Permit numbers remained the same for all hunt areas for the 2006 season. Harvest estimates and horn length data were collected by a mandatory mail-in report of pronghorn tag buyers that was followed by a telephone survey sample of non-responders. The average horn length was below the 12-inch management plan objective for Hunt Area 59 (Table 3). No pronghorn depredation complaints were received in Group 2 units during this reporting period.

Group 3 - No composition or population survey was conducted in Group 3 units during this reporting period. Permit numbers remained the same for all hunt areas for the 2006 season. Harvest estimates and horn length data were collected by a mandatory mail-in report of pronghorn tag buyers that was followed by a telephone survey sample of non-responders. The average horn length was below the 12-inch management plan objective in Hunt Areas 61 and 63 in this group (Table 7). One pronghorn depredation complaint was received from Group 3 units during this reporting period.

Group 2

Management Units 50, 51, 58, 59, 59A

Management - These mountain-valley units support the most productive pronghorn herds in the region. The Bureau of Land Management and U.S. Forest Service manage most of the land with limited private cultivated land occurring along the major stream corridors. Pronghorn occurring in these units are seasonally migratory and frequently migrate into Unit 63 during winter months.

Minor depredations on hay and grain crops are common during summer, but landowners tolerate most problems when they receive assistance from the Department. Major depredation complaints are received during extremely dry years when pronghorn congregate on irrigated fields. Under these conditions, the Department has authorized additional depredation hunts and paid for crop damage.

Harvest - One of the objectives of the 1991-1995 pronghorn plan for this group of units is to maintain an average horn length of 12 inches in the firearm either-sex harvest. This information was collected by telephone survey from 1994-2000. From 2001-2006, the harvest estimate (Table 2) and horn length estimate (Table 3) were collected by a mandatory report of tag buyers that was followed by a telephone survey of a sample of non-responders. These estimates do not include permits, harvest estimates, or horn length estimates for landowner appreciation permit or super hunt harvest. The 12-inch average minimum horn length objective was met in all Group 2 hunt areas in 2006 except Hunt Area 59 which only had an average horn length of 11.2 inches (Table 3).

Population Surveys - No herd composition or population trend survey was conducted in any Group 2 units during this reporting period. Table 4 provides a summary of composition estimates for Units 37/51 and 30A/58 and Table 5 provides a summary of composition estimates for Units 59/59A from the 1970s through present. Unfortunately the Department does not currently have sufficient money to conduct aerial surveys for pronghorn.

Depredation - No depredation complaints were received from any Group 2 units during this reporting period.

Group 3

Management Units 60, 60A, 61, 63

Management - These units provide important pronghorn habitat but are difficult to manage. Units 60, 60A, and the west part of Unit 61 have productive summer range, but access to traditional winter range from these units was blocked when Interstate 15 (I-15) was built. Under current conditions, the herd increases during light to moderate winters but is decimated during hard winters.

Pronghorn summering on the Henrys Lake Flat area of Unit 61 winter in the Madison River Valley, Montana. These pronghorn are managed for non-consumptive value, to minimize landowner depredation and hunter access concerns during summer, and consistent with winter pronghorn population objectives of Montana Fish, Wildlife, & Parks.

Unit 63 provides important wintering habitat for pronghorn summering in Group 2 units. Pronghorn summering in Unit 63 are managed to minimize depredations on hayfields around the Idaho National Laboratory (INL).

Habitat Conditions - Pronghorn habitat in the eastern portion of Unit 61 is restricted to summer range on the Henrys Lake Flat area. These pronghorn winter in the Madison River Valley of

Montana. Summer range is predominantly privately owned. Montana experiences some winter depredation problems involving these pronghorn. Therefore, the Department's goal is to manage this herd for non-consumptive value and use sport harvest to prevent it from increasing and causing more severe depredations.

Habitat in the western portion of Unit 61 is primarily confined to the Beaver Creek and Camas Creek drainages and their tributaries. These pronghorn winter southeast of Dillon, Montana, and currently are not causing any winter depredation problems.

Pronghorn that summer in Units 60 and 60A historically migrated across what is now I-15 into Unit 63 to winter. However, with the construction of I-15, this traditional migration route was blocked, forcing them to winter in Units 60A and 63A. Consequently, during winters of heavy snowfall, this small herd of pronghorn suffers severe winter loss.

Unit 63 provides winter range for pronghorn summering in Group 2 units and year-round habitat for resident pronghorn. Approximately half the unit is controlled by the U.S. Department of Energy as INL and is closed to hunting. In several areas, irrigated crops are grown on private lands that abut the INL. Consequently, some of the pronghorn summering in Unit 63 cause depredation problems on private lands but are unavailable to sportsmen for harvest. Summer crop depredations occur on other private land in the unit but are easier to control with hunting. Fall and winter depredations on stored hay are common from pronghorn summering in, and migrating from, Group 2 units.

Harvest - Permit numbers remained the same for all hunt areas in 2006 (Table 6). The average horn length for reported hunter harvest in 2006 was less than 12 inches for Hunt Areas 61 and 63 (Table 7). Although the 1991-1995 pronghorn plan does not include a minimum average horn length goal for this group of units, the plan does note, as a management consideration, that mature buck numbers were below desired levels.

Hunt Area 63-2 is 1 of only 4 pronghorn hunts in the state restricted to muzzleloaders. Muzzleloader hunting interest has remained high since 1994.

Depredation - One depredation complaint was received from Unit 63 in late summer 2006. An estimated 100 pronghorn started feeding on hay belonging to Glen Munns. The IDFG paid the landowner's claim for 60 days of damage.

Population Surveys - No composition or population trend survey was conducted in Group 3 units during this reporting period. Table 5 provides a summary of pronghorn surveys conducted in Unit 63 since 1983. Unfortunately, the Department does not currently have sufficient money to conduct aerial surveys for pronghorn.

The Environmental Science and Research Foundation, Inc., and, since July 2000, Stoller Corporation, have conducted pronghorn population estimates following methodology described by Johnson and Lindzey (1990). Table 8 shows summer and winter pronghorn population estimates (Transect II; Johnson and Lindzey 1990, Pojar et al. 1995) for INL, 1994-2005.

Summer flights were conducted during July or August; winter flights were conducted during January or February. Stoller Corporation did not calculate population estimates in 2007 due to concern over generating erroneous estimates with the current methodology available.

Pronghorn in Units 60 and 60A appear to have recovered from heavy winter mortality suffered during the hard winters of 1983-1984, 1984-1985, and 1992-1993.

Literature Cited

Autenreith R. E. 1982. Antelope-sage grouse ecology [W-160-R-9], Idaho Department of Fish and Game, Boise, USA.

Johnson, B., and F. Lindzey. 1990. Guidelines for estimating pronghorn antelope numbers using line transects. Wyoming Game and Fish Department, Cheyenne, USA.

Pojar, T. M., D. C. Bowden, and B. R. Gill. 1995. Aerial counting experiments to estimate pronghorn density and herd structure. *Journal of Wildlife Management* 59(1):117-128.

Table 1. Pronghorn harvest, Upper Snake Region, 1977-present.

Year	Permits	Harvest ^a			Male (%)	Success (%)
		Male	Female	Total		
1977	855	440	141	581	76	68
1978	930	502	203	705	71	76
1979	1,030	597	181	778	77	76
1980	1,120	660	164	824	80	74
1981	1,290	870	250	1,120	78	87
1982	1,365	1,025	234	1,259	81	92
1983	2,215	1,009	515	1,524	66	69
1984	2,115	879	354	1,233	71	58
1985	2,000	944	396	1,340	70	67
1986	2,090	1,035	547	1,582	65	76
1987	1,910	979	425	1,404	70	74
1988	2,095	1,156	504	1,660	70	79
1989	2,680	769	1,195	1,964	39	73
1990	2,385	783	1,008	1,791	44	75
1991	1,750	617	668	1,285	48	73
1992	1,555	551	654	1,205	55	65
1993	1,555	454	491	945	48	61
1994	730	379	110	489	78	67
1995	755	362	83	445	81	59
1996	755	354	111	465	76	62
1997	855	255	68	323	79	38
1998	830	353	128	481	73	58
1999	805	375	154	529	71	66
2000	680	328	95	423	78	62
2001	685	344	87	431	80	63
2002	590	293	77	370	79	63
2003	425	245	38	283	87	67
2004	425	231	47	281	82	70
2005	425	245	50	295	83	73
2006	470	276	30	309	89	66

^a Prior to 2006, harvest does not include landowner appreciation permits/harvest.

Table 2. Pronghorn harvest, Upper Snake Region, Group 2, 1995-present.

Hunt area	Year	Permits ^a	Harvest ^a			Male (%)	Success (%)
			Male	Female	Total		
50	1995	180	97	21	118	82	66
	1996	180	79	24	103	77	57
	1997	180	89	22	111	80	62
	1998	180	75	25	100	75	56
	1999	180	72	30	102	71	57
	2000	130	58	22	80	73	62
	2001	120	53	11	64	83	53
	2002	75	46	8	54	85	79
	2003	75	45	6	51	88	80
	2004	75	48	7	55	87	79
	2005	75	50	8	58	86	81
51	2006	83	54	4	58	93	70
	1995	125	85	4	89	96	71
	1996	125	79	14	93	85	74
	1997	175	89	23	112	79	64
	1998	175	85	29	114	75	65
	1999	175	93	26	119	78	68
	2000	175	88	17	105	84	60
	2001	155	80	20	100	80	65
	2002	105	54	11	65	83	73
	2003	75	48	4	52	92	74
	2004	75	45	4	49	92	71
58	2005	75	46	8	54	85	74
	2006	83	52	4	58	90	70
	1995	50	26	10	36	72	72
	1996	50	25	10	35	71	70
	1997	50	34	4	38	89	76
	1998	50	29	14	43	67	86
	1999	50	36	1	37	97	74
	2000	50	37	8	45	82	90
	2001	75	51	6	57	89	76
	2002	75	45	4	49	92	70
	2003	50	30	7	37	81	84
59	2004	50	33	7	40	83	80
	2005	50	29	5	34	85	68
	2006	55	38	5	44	86	80
	1995	100	72	11	83	87	83
	1996	100	75	15	90	83	90
	1997	100	80	4	84	95	84
	1998	100	67	16	83	81	83
	1999	100	61	14	75	81	75
	2000	100	58	14	72	81	72
	2001	100	62	10	72	86	72

Table 2. Continued.

Hunt area	Year	Permits ^a	Harvest ^a			Male (%)	Success (%)
			Male	Female	Total		
	2002	100	54	16	70	77	76
	2003	50	30	3	33	91	69
	2004	50	28	10	39	72	78
	2005	50	33	4	37	89	79
	2006	55	44	4	48	92	87

^a Prior to 2006, harvest does not include landowner appreciation permits/harvest.

Table 3. Hunter-harvested pronghorn horn lengths, Upper Snake Region, Group 2, 1995-present.

Hunt area	Year	Permits ^a	Sample size	Mean maximum horn length (inches) ^a
50	1995	180	64	11.9
	1996	180	39	11.7
	1997	180	53	10.9
	1998	180	52	11.5
	1999	180	72	11.2
	2000	130	102	11.1
	2001	120	53	10.4
	2002	75	46	10.8
	2003	75	40	11.6
	2004	75	48	10.6
	2005	75	50	12.4
	2006	83	46	12.1
51	1995	125	73	12.1
	1996	125	41	12.2
	1997	175	64	12.1
	1998	175	63	13.3
	1999	175	93	11.8
	2000	175	138	10.5
	2001	155	80	10.5
	2002	105	49	11.9
	2003	75	45	11.7
	2004	75	45	11.8
	2005	75	46	12.0
	2006	83	48	12.5
58	1995	50	20	11.6
	1996	50	15	11.3
	1997	50	28	13.2
	1998	50	19	12.4
	1999	50	36	14.3
	2000	50	42	9.5
	2001	75	51	11.0
	2002	75	45	11.1
	2003	50	29	12.3
	2004	50	33	11.3
59	1995	100	40	11.5
	1996	100	30	10.6
	1997	100	45	11.6
	1998	100	42	12.8
	1999	100	61	12.1
	2000	100	73	10.7
	2001	100	62	10.6

Table 3. Continued.

Hunt area	Year	Permits ^a	Sample size	Mean maximum horn length (inches) ^a
	2002	100	54	10.6
	2003	50	28	10.9
	2004	50	28	8.5
	2005	50	33	12.1
	2006	55	39	11.7

^a Prior to 2006, harvest does not include landowner appreciation permits/harvest.

Table 4. Pronghorn surveys in Units 37/51 and 30A/58, Upper Snake Region, 1973-present.

Unit(s)	Year	Bucks	Does	Fawns	Total	Bucks:100 does	Fawns:100 does	
37/51	1973	90	235	125	450	38.3	53.2	
	1974	43	109	86	238	39.4	78.9	
	1975	58	171	105	334	33.9	61.4	
	1976	97	145	98	340	66.9	67.6	
	1977	113	288	170	571	39.2	59.0	
	1978	107	354	203	664	30.2	57.3	
	1979	114	301	178	593	37.9	59.1	
	1980	94	293	152	539	32.1	51.9	
	1981	172	504	299	975	34.1	59.3	
	1982	176	500	232	908	35.2	46.4	
	1983	134	495	284	913	27.1	57.4	
	1984	309	830	462	1,601	37.2	55.7	
	1986	241	596	342	1,179	40.4	57.4	
	1989 ^a				4,062			
	1996 ^b	309	1,565	506	2,380	19.7	32.3	
	2001 ^c	149	417	137	703	35.7	32.9	
	2003 ^d	68	232	96	396	29.3	41.4	
	2004 ^d	85	185	68	338	45.9	36.8	
	30A/58	1973	54	132	84	270	40.9	63.6
		1974	73	164	127	364	44.5	77.4
1975		58	167	124	349	34.7	74.3	
1976		80	127	76	283	63.0	59.8	
1977		61	130	79	270	46.9	60.8	
1978		80	153	146	379	52.3	95.4	
1979		73	136	126	335	53.7	92.6	
1980		96	147	134	377	65.3	91.2	
1981		81	135	90	306	60.0	66.7	
1982		139	282	156	577	49.3	55.3	
1984		107	336	158	601	31.8	47.0	
1986		114	345	149	608	33.0	43.2	
2000		94	230	102	426	40.9	44.3	
2000 ^e		147	321	144	612	45.8	44.9	
2003 ^f		68	175	58	301	38.9	33.1	
2004 ^f	75	210	61	346	35.7	29.0		

^a Line-transect estimate.

^b Pojar et al. estimate.

^c Modified Pojar et al. estimate.

^d Composition survey of the area south of Double Springs Pass Road in Unit 37 and the area north of Wet Creek and west of the Howe-May-Ellis Road in Unit 51.

^e Population estimate for all of Unit 58.

^f Composition survey of Unit 30A south of Eighteen Mile Creek and the area north of Scott Canyon and east of Highway 28 in Unit 58.

Table 5. Pronghorn surveys in Units 59/59A and 63, Upper Snake Region, 1974-present.

Unit(s)	Year	Bucks	Does	Fawns	Total	Bucks:100 does	Fawns:100 does
59/59A	1974	23	91	78	192	25.3	85.7
	1975	63	132	77	272	47.7	58.3
	1976	110	189	154	453	58.2	81.5
	1977	105	158	94	357	66.5	59.5
	1978	86	202	173	461	42.6	85.6
	1979	97	221	230	548	43.9	104.1
	1980	53	130	104	287	40.8	80.0
	1981	68	162	149	379	42.0	92.0
	1982	129	251	171	551	51.4	68.1
	1984	105	295	235	635	35.6	79.7
	1986	99	281	269	649	35.2	95.7
	2002	37	194	69	330	19.1	20.1
	2002 ^a	42	230	89	390	18.3	38.7
	63	1983 ^b	32	175	84	291	18.3
2002 ^c					2,111		
2003 ^d		45	141	70	256	31.9	59.6
2004 ^d		47	163	117	327	28.8	71.8

^a Population estimate for all of Units 59 and 59A.

^b Conducted during mid-August with a Hiller 12-E helicopter. Flights were conducted during calm and clear weather only, and early morning and evening work periods are emphasized. Each population was flown until a minimum of 135 does were counted, or no more animals could be located (Autenreith 1982).

^c Line-transect estimate.

^d Composition survey of Unit 63 north of Highway 33 and around the agricultural lands south and east of Mud Lake-Terreton was surveyed with 2 observers and pilot using a Bell G-47 helicopter 4 August 2003.

Table 6. Pronghorn harvest, Upper Snake Region, Group 3, 1995-present.

Hunt area	Year	Permits	Harvest ^a			Male (%)	Success (%)
			Male	Female	Total		
60A	1995	75	15	14	29	52	39
	1996	75	20	8	28	71	37
	1997	75	19	28	47	40	63
	1998	50	17	6	23	74	46
	1999	50	22	11	33	67	66
	2000	50	24	9	33	73	66
	2001	50	26	10	36	72	72
	2002	50	32	7	39	82	89
	2003	25	16	2	18	89	78
	2004	25	19	3	22	86	88
	2005	25	15	4	19	79	86
	2006	28	14	3	17	82	61
61	1995	50	8	7	15	53	30
	1996	50	5	11	16	31	32
	1997	50	15	9	24	63	48
	1998	50	1	12	13	8	26
	1999	25	12	10	22	55	88
	2000	25	2	4	6	33	24
	2001	25	9	7	16	56	64
	2002	25	8	9	17	47	74
	2003	25	13	5	18	72	82
	2004	25	9	3	13	69	62
63	1995	25	10	9	19	53	76
	2006	28	4	4	8	50	29
	1995	175	59	16	75	79	43
	1996	175	71	29	100	71	57
	1997	225	95	23	118	81	52
	1998	225	79	26	105	75	47
	1999	225	79	32	111	71	60
	2000	150	61	21	82	74	63
	2001	160	63	23	86	73	61
	2002	160	29	13	42	69	31
2003	125	63	11	74	85	63	
2004	125	49	13	63	78	58	
2005	125	62	12	74	84	65	
2006	138	70	6	76	92	56	

^a Prior to 2006, harvest does not include landowner appreciation permits/harvest.

Table 7. Hunter-harvested pronghorn horn lengths, Upper Snake Region, Group 3, 1995-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches) ^a
60A	1995	75	13	9.9
	1996	75	10	8.9
	1997	75	13	10.1
	1998	50	14	10.4
	1999	50	22	8.9
	2000	50	37	9.1
	2001	50	26	10.0
	2002	50	32	9.9
	2003	25	16	10.9
	2004	25	19	9.8
	2005	25	15	10.9
	2006	28	13	11.8
	61	1995	50	6
1996		50	3	10.7
1997		50	8	10.9
1998		50	1	3.0
1999		25	12	9.8
2000		25	21	8.3
2001		25	9	6.0
2002		25	8	9.7
2003		25	11	9.4
2004		25	9	9.3
2005		25	10	10.5
63	2006	28	4	8.5
	1995	175	33	11.7
	1996	175	31	11.1
	1997	225	44	10.8
	1998	225	38	11.3
	1999	225	79	11.8
	2000	150	115	11.6
	2001	160	63	10.8
	2002	160	54	10.8
	2003	125	60	10.7
	2004	125	49	10.4
2005	125	62	11.0	
2006	138	67	11.0	

^a Prior to 2006, harvest does not include landowner appreciation permits/harvest.

Table 8. Estimates of pronghorn on INL, Upper Snake Region, 1994-present.

Year	Summer			Winter		
	Number Observed	Number Groups	Population estimate	Number Observed	Number Groups	Population estimate
1994 ^a	123	39	250±138			
1995 ^a	198		474±260	1,093	23	
1996 ^b	256	8	1,247±1,212			
1997 ^a	64	28	401±190	1,986	82	3,286±692
1998 ^a				911	36	3,161±997
1999 ^a	52	23	479±112	1,398	21	2,939±1,226
2000 ^a	199	58	556±151	1,190	74	3,717±702
2001 ^a	98	29	1,307±165	1,341	36	4,126±1,311
2002 ^a	51	12	246±98	866	19	7,005±3,624
2003 ^a	94	24	185±79	702	45	2,315±542
2004 ^a	113	27	216±55	432	50	3,052±907
2005 ^a	162	30	174±99	797	55	2,195±786
2006 ^a	219	34	1267±474	283	21	734 ± 270
2007 ^{a,c}	119	23		1,130	53	

^a Line-transect estimate.

^b Pojar et al. estimate.

^c As of 2007, Stoller Corp. is no longer calculating population estimates due to concerns over generating erroneous estimates with the current methodology.

**PROGRESS REPORT
SURVEYS AND INVENTORIES**

STATE:	<u>Idaho</u>	JOB TITLE:	<u>Pronghorn Surveys and</u>
PROJECT:	<u>W-170-R-31</u>		<u>Inventories</u>
SUBPROJECT:	<u>7</u>	STUDY NAME:	<u>Big Game Population Status,</u>
STUDY:	<u>I</u>		<u>Trends, Use, and Associated</u>
JOB:	<u>7</u>		<u>Habitat Studies</u>
PERIOD COVERED: <u>July 1, 2006 to June 30, 2007</u>			

SALMON REGION

Abstract

There were 157 pronghorn harvested in Salmon Region in 2006, including 24 animals taken under archery, 10 with landowner appreciation permits, and 2 with superhunt permits. Archery harvest was similar between 2005 (22) and 2006 (24), but has increased significantly over time. Controlled hunt harvest (121) was slightly higher (+9) than the 35-year low observed in 2004 (Table 1). Harvest in 2006 remained well below harvest levels prior to the mid-1990s. Reductions in recent harvest reflect significant decreases in permits available throughout Salmon Region since the early 1990s. Success for active rifle hunters in regular controlled hunts was 78%; bucks comprised 86% of harvested pronghorn. Average horn lengths met minimum 12-inch criterion in 3 hunt areas: 30, 36B, and 37. Sample sizes for monitoring horn length were small for all areas.

All doe/fawn permits were eliminated in 1998, compared to 100 issued in 1997 and 825 in seasons during 1992-1993. Either-sex permits remained constant at 520 from 1990-1997. In 1998, either-sex hunting was eliminated in Unit 21A (10 permits), reducing total permits to 510. In 1999, hunts in Units 29, 36A, and 37A were combined, and permits were reduced in most Salmon Region hunts. Hunt Area 36A was closed in 2001. In 2002, 3 separate hunts in Units 37 and 37A were combined and permit numbers were reduced. In 2004, the any-weapon season in Unit 30A was converted to a traditional muzzleloader hunt to maintain hunting opportunity. Because of changes in hunt areas (combination and elimination), comparisons and summaries based on pronghorn-plan groups over time are less meaningful than in previous years. Therefore, for purposes of this section, assignment of GMUs to groups is modified to represent current hunt areas and group-specific comparisons are limited. Under current pronghorn densities, most hunting opportunities in Salmon Region would likely be classified into Group 1.

Approximately 495 pronghorn were observed incidentally during surveys of other ungulates in Units 28, 29, 30, 36A, 37, and 37A.

Group 1

Management Units 28, 36B, 37 (Part)

Combination and elimination of all or part of some units has reduced the area of Management Group 1. Only Hunt Area 36B (all of Unit 36B and extreme southeastern Unit 28) remains clearly distinguishable as a Group 1 area. Standard controlled hunt harvest from this hunt was 7 pronghorn in 2006, 6 of which were males (Table 2). Compared to 2005, harvest from this hunt area increased by 3 animals. Reported mean horn length was 11.7 inches, essentially meeting the plan criterion of 12 inches (Table 3).

A hunt for any pronghorn in Unit 21A was eliminated in 1998. Hunts 21A-2 (doe/fawn) and 36B-2 were terminated in 1994 and 1996, respectively. Permits in Hunt 37-3 were reduced from 75 to 25 in 1996; the hunt was subsequently eliminated in 1998. Hunts 36A-1 and 36A-2 were combined and permits were reduced in 1999; all controlled hunting in Unit 36A was eliminated in 2001. Number of permits in Hunt 37-1 was reduced in 1999. All hunts in Units 37 and 37A were combined in 2002 with a concurrent reduction in total permits.

Group 2

Management Units 21A (Part), 29, 30, 36A, 37 (Part), 37A

Hunt combinations now incorporate all of Units 29, 30, 37, 37A, and extreme southern Unit 21A in Group 2. Hunters harvested 91 animals in 3 hunts in these units (Table 4). For comparable open hunt areas, number harvested was 6 less than in 2005. Males comprised 87% of the harvest. Mean horn length exceeded pronghorn-plan criterion of 12 inches (Table 5) in Hunt Areas 30 and 37 (12.8 and 12.5, respectively), but was below criterion in Hunt Area 29 (10.3).

As the objective to reduce populations and depredation problems was reached, all doe/fawn permits were eliminated in these units (Table 4). Specifically, in 1996, 3 doe/fawn hunts were eliminated (29-3, 29-4, and 37A-3). Doe/fawn permits were reduced in 2 other hunts in 1996 (36A-3 and 37-4) and the hunts were eliminated in 1998. Hunts within Units 29, 36A, and 37A were combined in 1999 with concurrent permit reductions of 50-75%. Permits in Hunt Area 37-2 were reduced by 75% in 1999. All controlled pronghorn hunting in Unit 36A was eliminated in 2001. All hunts in Units 37 and 37A were combined in 2002 with a concurrent reduction in total permits.

Group 3

Management Unit 30A

Consolidation of hunt areas left Unit 30A as the only distinguishable unit in Group 3. Harvest in the single hunt area was 23 in 2006, an increase of 10 from 2005. Reduced harvest in both 2005 and 2004 was assumed to result from restricting hunters to traditional muzzleloading equipment (Table 6). However, hunter success in 2006 exceeded that in some any-weapon hunts and total harvest was similar to that in several previous years under an any-weapon hunt. Hunters

reported harvesting 19 bucks. Average horn length of 11.1 inches did not meet the plan goal of 12.0 inches (Table 7).

Table 1. Pronghorn controlled hunt harvest, Salmon Region, 1969-present.

Year	Permits	Harvest ^a			Male (%)	Success ^b (%)
		Male	Female	Total		
1969	855	385	241	626	62	73
1970	855	414	232	646	64	76
1971	855	402	188	590	68	69
1972	885					
1973	875	353	204	557	63	64
1974	835	371	180	551	67	66
1975	765	296	157	453	65	59
1976	725	238	120	358	66	49
1977	610	260	111	371	70	61
1978	460	256	95	351	73	76
1979	445	270	88	358	75	80
1980	445	283	61	344	82	77
1981	495	350	53	403	87	81
1982	565	414	61	475	87	84
1983	670	469	89	558	84	83
1984	745	486	90	576	84	77
1985	745	426	137	563	76	76
1986	760	460	136	596	77	78
1987	760	435	153	588	74	77
1988	760	470	133	603	78	79
1989	968	464	309	773	60	80
1990	774	341	271	612	56	79
1991	995	429	373	802	53	81
1992	1,345	416	561	977	43	73
1993	1,345	372	499	871	43	65
1994	1,010	321	342	663	48	66
1995	915	286	200	486	59	53
1996	620	270	114	384	70	62
1997	620	240	107	347	69	56
1998	510	162	73	235	69	51
1999	245	87	36	123	71	57
2000	245	108	40	148	73	70
2001	220	115	24	139	83	73
2002	195	104	24	128	81	76
2003	195	105	22	127	82	73
2004	195	93	19	112	83	63
2005	180	105	9	114	92	70
2006	196	117	14	131	89	67

^a Prior to 2006, harvest does not include landowner appreciation permits/harvest.

^b Before 1998, success calculated as number harvested divided by number of permits available.

Table 2. Pronghorn controlled hunt harvest, Salmon Region, Group 1, 1993-present.

Hunt area	Year	Permits	Harvest ^a			Male (%)	Success ^b (%)
			Male	Female	Total		
21A	1993	30	3	12	15	20	50
	1994	10	3	1	4	75	40
	1995	10	9	0	9	100	90
	1996	10	2	2	4	50	40
	1997	10	7	0	7	100	70
36A	1993	15	4	4	8	50	53
	1994	15	8	2	10	80	67
	1995	15	6	3	9	67	60
	1996	15	4	1	5	80	33
	1997	15	6	0	6	100	40
36B	1998	15	4	2	6	67	43
	1993	50	18	12	30	60	60
	1994	50	15	10	25	60	50
	1995	50	17	9	26	65	52
	1996	25	16	1	17	94	68
	1997	25	15	0	15	100	60
	1998	25	17	0	17	100	73
	1999	25	11	7	18	61	79
	2000	25	10	0	10	100	42
	2001	25	14	2	16	88	73
	2002	25	8	4	12	75	55
	2003	25	13	0	13	100	57
	2004	25	7	0	7	100	30
2005	10	4	0	4	100	40	
2006	11	6	1	7	86	64	
37-1	1993	175	50	60	110	45	63
	1994	150	51	46	97	53	65
	1995	150	44	27	71	62	47
	1996	100	43	16	59	73	59
	1997	100	33	23	56	59	56
	1998	75	21	13	34	62	51
	1999	25	5	7	12	42	58
	2000	25	11	3	14	79	77
2001	25	13	2	15	87	67	

^a Prior to 2006, harvest does not include landowner appreciation permits/harvest.

^b Before 1998, success calculated as number harvested divided by number of permits available.

Table 3. Hunter-harvested pronghorn horn length, Salmon Region, Group 1, 1993-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
21A	1993	10	2	13.2
	1994	10	2	14.5
	1995	10	9	12.9
	1996	10	2	15.0
	1997	10	5	13.4
36A	1993	15	3	12.9
	1994	15	5	12.4
	1995	15	5	11.8
	1996	15	3	10.0
	1997	15	4	13.4
36B	1998	15	4	11.5
	1993	25	13	11.4
	1994	25	13	13.5
	1995	25	12	14.3
	1996	25	11	13.4
	1997	25	9	12.4
	1998	25	11	13.4
	1999	25	11	12.0
	2000	25	8	12.2
	2001	25	14	12.5
	2002	25	7	12.4
37	2003	25	11	12.6
	2004	25	7	10.1
	2005	10	4	8.1
	2006	11	6	11.7
	1993	75	26	12.4
	1994	75	35	14.0
	1995	75	34	13.6
	1996	75	21	12.3
	1997	75	23	14.3
	1998	75	15	10.8
1999	25	5	15.7	
2000	25	10	12.3	
2001	25	12	10.8	

Table 4. Pronghorn controlled hunt harvest, Salmon Region, Group 2, 1993-present.

Hunt area	Year	Permits	Harvest ^a			Male (%)	Success ^b (%)
			Male	Female	Total		
29	1993	150	41	46	87	47	58
	1994	100	30	32	62	48	62
	1995	75	27	17	44	61	59
	1996	50	26	5	31	84	62
	1997	50	12	8	20	60	40
	1998	50	9	7	16	56	33
	1999	50	12	11	23	52	47
	2000	50	13	12	25	52	62
	2001	50	16	7	23	70	56
	2002	40	18	6	24	75	77
	2003	40	18	9	27	67	77
	2004	40	23	7	31	74	84
	2005	40	21	2	23	91	62
	2006	44	22	5	27	81	61
30	1993	130	24	63	87	28	67
	1994	80	29	27	56	52	70
	1995	55	23	18	41	56	75
	1996	30	21	6	27	78	90
	1997	30	22	1	23	96	77
	1998	30	26	2	28	93	93
	1999	30	22	0	22	100	77
	2000	30	26	2	28	93	100
	2001	30	23	0	23	100	88
	2002	30	23	2	25	92	83
	2003	30	16	2	18	89	67
	2004	30	20	1	21	95	81
	2005	30	26	1	27	96	96
	2006	33	23	2	25	92	76
36A	1993	150	34	59	93	37	62
	1994	100	32	20	52	62	52
	1995	100	23	22	45	51	45
	1996	75	12	12	24	50	32
	1997	75	21	16	37	57	49
	1998	50	12	4	16	75	35
	1999	25	5	0	5	100	29
	2000	25	3	6	9	33	47
37	1993	225	86	87	173	50	77
	1994	200	71	96	167	43	84
	1995	200	59	46	105	56	53
	1996	150	72	49	121	60	81
	1997	150	49	38	87	56	58
	1998	100	20	15	35	57	39
	1999	25	7	2	9	78	47

Table 4. Continued.

Hunt area	Year	Permits	Harvest ^a			Male (%)	Success ^b (%)
			Male	Female	Total		
37A	2000	25	10	5	15	67	71
	2001	25	13	5	18	72	75
	2002	60	33	8	41	80	82
	2003	60	30	9	40	77	74
	2004	60	35	8	43	81	74
	2005	60	41	6	47	87	82
	2006	64	45	2	47	96	73
	1993	150	45	51	96	47	64
	1994	125	30	39	69	43	55
	1995	125	28	23	51	55	41
	1996	75	26	11	37	70	49
	1997	75	24	9	33	73	44
	1998	75	16	13	29	55	45
	1999	25	5	3	8	63	42
	2000	25	8	3	11	73	56
	2001	25	9	3	12	75	71

^a Prior to 2006, harvest does not include landowner appreciation permits/harvest.

^b Before 1998, success calculated as number harvested divided by number of permits available.

Table 5. Hunter-harvested pronghorn horn length, Salmon Region, Group 2, 1993-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
29	1993	50	15	12.5
	1994	50	22	14.0
	1995	50	23	12.0
	1996	50	15	11.5
	1997	50	8	10.4
	1998	50	7	12.1
	1999	50	12	9.9
	2000	50	12	11.8
	2001	50	16	10.9
	2002	40	16	10.9
	2003	40	15	11.9
	2004	40	23	10.9
	2005	40	21	11.7
	2006	44	19	10.3
30	1993	30	16	12.2
	1994	30	16	12.7
	1995	30	17	13.1
	1996	30	15	11.0
	1997	30	20	12.0
	1998	30	17	12.0
	1999	30	22	11.9
	2000	30	18	12.2
	2001	30	21	12.5
	2002	30	21	13.1
	2003	30	16	12.3
	2004	30	20	11.9
	2005	30	26	12.2
	2006	33	18	12.4
36A	1993	50	9	13.5
	1994	50	23	13.0
	1995	50	20	12.3
	1996	50	7	11.1
	1997	50	17	13.4
	1998	50	9	13.8
	1999	25	5	12.5
	2000	25	3	12.6
37	1993	100	30	11.8
	1994	100	40	13.2
	1995	100	32	12.3
	1996	100	28	10.3
	1997	100	27	12.4
	1998	100	12	11.8
	1999	25	7	11.0

Table 5. Continued.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
37A	2000	25	8	10.9
	2001	25	12	13.1
	2002	60	31	12.8
	2003	60	28	12.8
	2004	60	35	11.2
	2005	60	41	13.0
	2006	64	42	12.3
	1993	75	18	12.3
	1994	75	25	11.1
	1995	75	24	11.7
	1996	75	16	12.4
	1997	75	17	11.7
	1998	75	11	12.1
	1999	25	5	11.3
	2000	25	7	10.8
	2001	25	8	11.4

Table 6. Pronghorn controlled hunt harvest, Salmon Region, Group 3, 1993-present.

Hunt area	Year	Permits	Harvest ^a			Male (%)	Success ^b (%)
			Male	Female	Total		
29	1993	150	38	72	110	35	73
	1994	100	30	44	74	41	74
	1995	75	27	22	49	55	65
	1996	50	28	7	35	80	70
	1997	50	28	8	36	78	72
	1998	50	15	13	28	54	66
30A	1993	120	29	33	62	47	52
	1994	80	22	25	47	47	59
	1995	60	23	13	36	64	60
	1996	40	20	4	24	83	60
	1997	40	23	4	27	85	68
	1998	40	22	3	25	88	71
	1999	40	20	6	26	77	71
	2000	40	27	9	36	75	92
	2001	40	27	5	32	84	87
	2002	40	22	4	26	85	74
	2003	40	28	2	30	93	79
	2004 ^c	40	8	3	11	73	31
	2005 ^c	40	13	0	13	100	41
2006	44	21	4	25	84	57	

^a Prior to 2006, harvest does not include landowner appreciation permits/harvest.

^b Before 2000, success calculated as number harvested divided by number of permits available.

^c Traditional muzzleloading equipment only.

Table 7. Hunter-harvested pronghorn horn length, Salmon Region, Group 3, 1993-present.

Hunt area	Year	Permits	Sample size	Mean maximum horn length (inches)
29	1993	50	17	11.0
	1994	50	26	12.8
	1995	50	23	12.2
	1996	50	17	11.1
	1997	50	21	11.2
	1998	50	13	10.2
30A	1993	40	15	11.2
	1994	40	16	12.1
	1995	40	19	10.1
	1996	40	13	11.6
	1997	40	20	11.7
	1998	40	15	12.3
	1999	40	20	10.3
	2000	40	20	10.8
	2001	40	26	10.8
	2002	40	20	11.6
	2003	40	26	11.6
	2004	40	8	9.6
	2005	40	13	12.0
	2006	44	19	10.9

APPENDIX A
IDAHO
2006 SEASON
PRONGHORN RULES

2006 Big Game Seasons

Deer, Elk, Pronghorn

January 2006 - January 2007

Bear, Mountain Lion

August 2006 - June 2007

Including Controlled Hunts for
Deer, Elk, Pronghorn, and Black Bear



Photo courtesy Tholl Corbett



Photo courtesy Kevin M. Dowdle

Key Dates to Remember in 2006

- 2007 hunting licenses are on sale from December 1, 2006— December 31, 2006
- Opening day for general rifle deer season in most units: October 10, 2006
- Opening day for general rifle elk season in most units: October 15, 2006
- Opening day for general rifle elk and deer seasons in most backcountry units: September 15, 2006
- Opening day for pronghorn seasons: — Archery, August 15, 2006 — Controlled hunts, September 25, 2006
- Controlled hunt application period for deer, elk, pronghorn and fall black bear: May 1—June 5, 2006
- Controlled hunt application period for spring black bear: January 15 — February 15, 2007



You may refer to these links for laws pertaining to this rulebook
Administrative Procedures Act:
<http://adm.idaho.gov/adminrules/rules/idapa13/13index.htm>
<http://www3.state.id.us/idstat/TOC/36FTOC.html>



RULES

January 2006
through
June 2007

- Controlled Hunt application period: May 1 - June 5.
- Use for all controlled hunts, including 2007 spring bear.

- Apply early for controlled hunts to win big bucks. See page 23 for application form.

• APPLY FOR A SUPER HUNT TAG

HELP PAY FOR ACCESS YES!
See page 17.

- **NEW! Check out Hunt Planner Maps at our web site!** <http://fishandgame.idaho.gov/fwis/huntplanner>



2006 PRONGHORN HUNTING SEASONS

Doe or fawn only: Only pronghorn without a black "cheek patch" or with horns less than 3 inches long may be taken during doe or fawn only pronghorn seasons.

Pronghorn archery tags may be purchased for use in any archery pronghorn hunt. Controlled hunt permits and tags issued for pronghorn controlled hunts may be used only in the hunt for which the permittee was drawn.

Any person who purchases an archery pronghorn tag who is subsequently drawn for a controlled hunt must return the unused archery tag to an IDFG office to exchange it for the controlled hunt tag at a cost of \$3.75.

Any person who receives a controlled hunt permit and tag for pronghorn is prohibited from hunting in any general season archery pronghorn hunt.

EVIDENCE OF SEX

See page 11.

Attention Pronghorn Archery Hunters!

Don't give your sport a black eye. Did you know that leaving blind material is considered littering? And, digging pits on federal land is a violation of federal law? For information on how to construct a legal blind, contact your local Bureau of Land Management office.

GENERAL PRONGHORN ARCHERY SEASONS - Archery Permit Required (Either sex may be taken)

Unit(s)	2006 SEASON DATES
21A, 28, 29, 30, 30A, 36, 36A, 36B, 37, 37A, 40, 41, 42, 44, 45, 46, 47, 48, 49, 50, 51, 52, 52A, 53, 58, 59, 59A, 60, 60A, 61, 63 (that portion south of Highway 33), 68.	Aug 15 - Sep 15
Motorized Vehicle Restriction Units 29, 30, 30A, 36A, 37, 37A, 45, 47, 48, 49, 50, 51, 52, 53, 58, 59, 59A See page 14.	

MANDATORY REPORT REQUIREMENTS: All pronghorn hunters are required to fill out a Harvest Report within 10 days after harvest, or within 10 days of the close of the hunting season.

2006 CONTROLLED HUNTS (1,600 PERMITS) EITHER SEX PRONGHORN				
Hunt No.	Season Dates	Controlled Hunt Areas	Permits	Notes
4001	Sep 25 - Oct 24	29	40	<i>Motorized Vehicle Restriction, See note 1, Page 60</i>
4002	Sep 25 - Oct 24	30* (see pg 61)	30	<i>Motorized Vehicle Restriction Unit 30, See note 1, Page 60</i>
4003	Sep 25 - Oct 24	36B* (see pg 61)	10	
4004	Sep 25 - Oct 24	37* (see pg 61)	60	<i>Motorized Vehicle Restriction, See note 1, Page 60</i>
4005	Sep 25 - Oct 24	39	25	
4006	Sep 25 - Oct 24	40	150	
4007	Sep 25 - Oct 24	42* (see pg 61)	200	
4008	Sep 25 - Oct 24	44* (see pg 61)	50	<i>Motorized Vehicle Restriction Unit 45, See note 1, Page 60</i>
4009	Sep 25 - Oct 24	45-1	10	<i>Motorized Vehicle Restriction, See note 1, Page 60</i>
4010	Sep 25 - Oct 24	46-1	60	
4011	Sep 25 - Oct 24	49	50	<i>Motorized Vehicle Restriction, See note 1, Page 60</i>
4012	Sep 25 - Oct 24	50	75	<i>Motorized Vehicle Restriction, See note 1, Page 60</i>
4013	Sep 25 - Oct 24	51* (see pg 61)	75	<i>Motorized Vehicle Restriction, See note 1, Page 60</i>
4014	Sep 25 - Oct 24	52* (see pg 61)	20	<i>Motorized Vehicle Restriction, See note 1, Page 60</i>
4015	Sep 25 - Oct 24	52A* (see pg 61)	25	<i>Motorized Vehicle Restriction Unit 53, See note 1, Page 60</i>
4016	Sep 25 - Oct 24	54	25	
4017	Sep 25 - Oct 24	58	50	<i>Motorized Vehicle Restriction, See note 1, Page 60</i>

(continued)

PRONGHORN

* See pronghorn controlled hunt area descriptions. This area includes other units or parts of other units.

 2006 CONTROLLED HUNTS - CONTINUED EITHER SEX PRONGHORN				
Hunt No.	Season Dates	Controlled Hunt Areas	Permits	Notes
4018	Sep 25 - Oct 24	59* (see pg 61)	50	<i>Motorized Vehicle Restriction, See note 1, Page 60</i>
4019	Sep 25 - Oct 24	60A* (see pg 61)	25	
4020	Sep 25 - Oct 24	63-1	50	
4021	Sep 25 - Oct 24	68	50	

 2006 CONTROLLED HUNTS DOE OR FAWN PRONGHORN				
Hunt No.	Season Dates	Controlled Hunt Areas	Permits	Notes
4022	Oct 5 - Oct 24	44* (see pg 61)	100	<i>Motorized Vehicle Restriction Unit 45, See note 1, Page 60</i>
4023	Nov 1 - Dec 31	45-2	50	<i>Landowner Permission Required, See note 3, Page 60 Private land ONLY Motorized Vehicle Restriction, See note 1, Page 60</i>
4024	Aug 15 - Oct 24	46-2* (see pg 61)	25	<i>Landowner Permission Required, See note 3, Page 60 Private land ONLY Motorized Vehicle Restriction Unit 47, See note 1, Page 60</i>

 2006 EITHER SEX PRONGHORN MUZZLELOADER CONTROLLED HUNTS - Muzzleloader Permit Required				
Hunt No.	Season Dates	Controlled Hunt Areas	Permits	Notes
4025	Sep 25 - Oct 24	30A	40	<i>Traditional Muzzleloader ONLY Motorized Vehicle Restriction, See note 1, Page 60</i>
4026	Sep 25 - Oct 24	41	40	
4027	Sep 25 - Oct 24	47	75	<i>Traditional Muzzleloader ONLY, Motorized Vehicle Restriction, See note 1, Page 60</i>
4028	Aug 25 - Oct 24	63-2	75	

 2006 EITHER SEX PRONGHORN SHORT-RANGE WEAPON CONTROLLED HUNTS				
Hunt No.	Season Dates	Controlled Hunt Areas	Permits	Notes
4029	Sep 25 - Oct 24	61	25	<i>Limited Access</i>

 2006 EITHER SEX PRONGHORN YOUTH CONTROLLED HUNTS				
Hunt No.	Season Dates	Controlled Hunt Areas	Permits	Notes
4030	Sep 25 - Oct 24	32* (see pg 61)	15	<i>Motorized Vehicle Restriction, See note 1, Page 60 See note 2, Page 60</i>
4031	Sep 25 - Oct 24	52* (see pg 61)	25	<i>Motorized Vehicle Restriction, See note 1, Page 60 See note 2, Page 60</i>

Notes:

- 1 — Motorized vehicle use as an aid to hunting for wildlife is restricted to established roadways open to motorized vehicle traffic capable of travel by full-sized automobiles. A full-sized automobile shall be defined as any motorized vehicle with a gross vehicle weight in excess of 1500 pounds. See page 14.
- 2 — YOUTH HUNT: ONLY hunters 12 - 17 years of age with a valid hunting license may apply for this hunt.
- 3 — Landowner Permission Hunts. Written permission from a landowner who owns more than 159 acres in the hunt area is required to apply for this hunt. Landowner Permission Hunt Permits will be sold on a first-come, first-served basis at the Jerome and headquarters IDFG offices starting July 15. Do not apply for this hunt during the controlled hunt application period.

* See pronghorn controlled hunt area descriptions. This area includes other units or parts of other units.

PRONGHORN CONTROLLED HUNT AREA DESCRIPTIONS

Hunt Area 29 — All of Unit 29 except the Poison Creek drainage.

Hunt Area 30 — All of Unit 30 and that portion of Unit 21A south and east of Carmen Creek Road.

Hunt Area 30A — All of Unit 30A.

Hunt Area 32 — All of Units 32 and 32A.

Hunt Area 36B — All of Unit 36B, and that portion of Unit 28 upstream from and including the Iron Creek drainage.

Hunt Area 37 — All of Units 37 and 37A, and that part of Unit 29 in the Poison Creek drainage.

Hunt Area 39 — That portion of Unit 39 south and east of Highway 21.

Hunt Area 40 — All of Unit 40.

Hunt Area 41 — That portion of Unit 41 east of State Highway 51.

Hunt Area 42 — That portion of Unit 41 west of State Highway 51 and all of Unit 42.

Hunt Area 44 — All of Unit 44 and that portion of Unit 45 within Camas Creek drainage.

Hunt Area 45-1 — All of Unit 45 EXCLUDING that portion within Camas Creek drainage.

Hunt Area 45-2 — Private land within Unit 45 EXCLUDING that portion within the Camas Creek drainage.

Hunt Area 46-1 — All of Unit 46.

Hunt Area 46-2 — Private land within Units 46 and 54 and private land within that portion of Unit 47 east of Salmon Falls Creek.

Hunt Area 47 — All of Unit 47.

Hunt Area 49 — All of Unit 49.

Hunt Area 50 — All of Unit 50. (See Craters of the Moon closure, page 8).

Hunt Area 51 — All of Unit 51 and that portion of Unit 63 within Butte County.

Hunt Area 52 — All of Units 48 and 52.

Hunt Area 52A — All of Units 52A and 53 (See Craters of the Moon closure, page 8).

Hunt Area 54 — All of Unit 54.

Hunt Area 58 — All of Unit 58.

Hunt Area 59 — All of Units 59 and 59A.

Hunt Area 60A — All of Units 60 and 60A, and that portion of Unit 61 west of Hotel Creek.


Hunt Area 61 — That portion of Unit 61 east of Hotel Creek.

Hunt Area 63-1 — That portion of Unit 63 south of State Highway 33.

Hunt Area 63-2 — That portion of Unit 63 north of State Highway 33, EXCLUDING the Camas National Wildlife Refuge which is CLOSED.

Hunt Area 68 — All of Unit 68.

Visit the Idaho Department of Fish and Game Web Site



<http://fishandgame.idaho.gov>
email: idfginfo@idfg.idaho.gov

- Applications
- Harvest Data
- Rules Booklets
- Fishing Information
- Idaho Record Fish
- Idaho Big Game Records
- Latest Commission News
- Controlled Hunt Summaries
- On-Line License Purchases
- On-line Hunt Planner. Look for the "plan your hunt" button on the right side of the home page to access the easy-to-use, helpful features of the Idaho Hunt Planner. You can find information such as hunt unit boundaries, printable interactive maps, other hunts open in the same area and much, much more. The Idaho Hunt Planner can help narrow down your hunt area so you can spend more time out in the field where you really want to be, while at the same time saving you valuable fuel.

- On-Line Controlled Hunt Applications
- E-mail Updates ...and more!

PRONGHORN

Submitted by:

Jon Rachael
Regional Wildlife Manager

Randy Smith
Regional Wildlife Manager

Carl Anderson
Regional Wildlife Manager

Daryl Meints
Regional Wildlife Manager

Tom Keegan
Regional Wildlife Manager


Approved by: IDAHO DEPARTMENT OF FISH AND GAME

Dale E. Towell
Dale E. Towell
Wildlife Program Coordinator
Federal Aid Coordinator

J. W. Unsworth
James W. Unsworth, Chief
Bureau of Wildlife

IDAHO

GAME MANAGEMENT UNITS



FEDERAL AID IN WILDLIFE RESTORATION

The Federal Aid in Wildlife Restoration Program consists of funds from a 10% to 11% manufacturer's excise tax collected from the sale of handguns, sporting rifles, shotguns, ammunition, and archery equipment. The Federal Aid program then allots the funds back to states through a formula based on each state's geographic area and the number of paid hunting license holders in the state. The Idaho Department of Fish and Game uses the funds to help restore, conserve, manage, and enhance wild birds and mammals for the public benefit. These funds are also used to educate hunters to develop the skills, knowledge, and attitudes necessary to be responsible, ethical hunters. Seventy-five percent of the funds for this project are from Federal Aid. The other 25% comes from license-generated funds.

